Craftsmith Beverage
1748 W Jefferson Ave. Unit C
Naperville, IL. 60540
License #: 4089-9195
Confident ID: 2601SMIL0043.0302
Metrc Source ID: 001C-L03-092425-01

SMITHERS

CERTIFICATE OF ANALYSIS

License #: CTL0004

Certificate: 38105

Dad Grass THC Drinks Jalapeño Lot: CS10369FV19

Metrc Source ID:
001C-L03-092425-01
Metrc Sample ID:
001T-L03-102425-01
Confident ID: 2601SMIL0043.0302

Sample Collected: 01/14/2026
Sample Received: 01/15/2026
Report Published: 01/20/2026
Sample Type: Beverage

RESULTS SUMMARY

Cannabinoid Profile: Tested	Microbial Contaminants: Pass	Residual Solvents: Pass	0.00092068% Total THC
Pesticides: Pass	Mycotoxins: Pass	Heavy Metals: Pass	0.001862% Total CBD
Foreign Matter: Not Tested	Moisture Analysis: Not Tested	Water Activity: Not Tested	0.0027827% Total Cannabinoids
	Terpenes: Not Tested		NT Total Terpenes

Report Notes:

Philip Travisano III, Ph.D.
CTS Illinois State Director

Smithers CTS Illinois LLC
8205 Cass Ave. Ste. 106
Darien, IL 60561
(872)-870-0500

ilac-MRA
PJLA Testing
Accreditation #: 107434

Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations.

Craftsmith Beverage
1748 W Jefferson Ave. Unit C
Naperville, IL. 60540
License #: 4089-9195
Confident ID: 2601SMIL0043.0302
Metrc Source ID: 001C-L03-092425-01

SMITHERS

CERTIFICATE OF ANALYSIS

License #: CTL0004

Certificate: 38105

Cannabinoids

Tested

Sample Analysis

Sample Prep Date: 01/15/2026
Sample Analysis Date: 01/16/2026
Analyzed By: Agilent 1260 HPLC
SOP: SOP-CANN-001

Analyte	LOD (%)	LOQ (%)	Results (%)	Results (mg/g)	Results (mg/serving)	Results (mg/package)
CBC	4.9810e-5	9.9619e-5	ND	ND	ND	ND
CBCA	4.9810e-5	9.9619e-5	ND	ND	ND	ND
CBDV	4.9810e-5	9.9619e-5	ND	ND	ND	ND
CBDVA	4.9810e-5	9.9619e-5	ND	ND	ND	ND
CBD	4.9810e-5	9.9619e-5	0.001862	0.01862	6.6101	6.6101
CBDA	4.9810e-5	9.9619e-5	ND	ND	ND	ND
CBG	4.9810e-5	9.9619e-5	ND	ND	ND	ND
CBGA	4.9810e-5	9.9619e-5	ND	ND	ND	ND
CBN	4.9810e-5	9.9619e-5	ND	ND	ND	ND
Δ8-THC	4.9810e-5	9.9619e-5	ND	ND	ND	ND
Δ8-THCV	0	0	NT	NT	NT	NT
Δ9-THC	4.9810e-5	9.9619e-5	0.00092068	0.0092068	3.2684	3.2684
Δ9-THCV	4.9810e-5	9.9619e-5	ND	ND	ND	ND
THCVA	4.9810e-5	9.9619e-5	ND	ND	ND	ND
THCA	4.9810e-5	9.9619e-5	ND	ND	ND	ND

Cannabinoid Totals	Results (%)	Results (mg/g)	Results (mg/serving)	Results (mg/package)
Total THC	0.00092068	0.0092068	3.2684	3.2684
Total CBD	0.001862	0.01862	6.6101	6.6101
Total Cannabinoids	0.0027827	0.027827	9.8785	9.8785

Total THC = THCa*0.877 + Δ9-THC
Total CBD = CBDa*0.877 + CBD
Total Cannabinoids = Sum of all analytes

Serving Weight: 355g;

Report Notes:

Philip Travisano III, Ph.D.
CTS Illinois State Director

Smithers CTS Illinois LLC
8205 Cass Ave. Ste. 106
Darien, IL 60561
(872)-870-0500

PJLA Testing
Accreditation #: 107434

Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations.

Craftsmith Beverage
1748 W Jefferson Ave. Unit C
Naperville, IL. 60540
License #: 4089-9195
Confident ID: 2601SMIL0043.0302
Metrc Source ID: 001C-L03-092425-01

SMITHERS

CERTIFICATE OF ANALYSIS

License #: CTL0004

Certificate: 38105

Pesticides

Pass

Sample Analysis

Sample Prep Date: 01/16/2026
Sample Analysis Date: 01/19/2026
Analyzed By: Agilent Ultivo LC-MS/MS
SOP: SOP_PEST_001

Analyte	LOD (ppb)	LOQ (ppb)	Results (ppb)	Limit (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Results (ppb)	Limit (ppb)
Acetamiprid	4.31	8.63	ND	10	Flonicamid	10.8	21.6	ND	30
Aldicarb	8.63	17.3	ND	20	Imidacloprid	8.63	17.3	ND	20
Bifenthrin	8.63	17.3	ND	50	Kresoxim Methyl	4.31	8.63	ND	10
Carbaryl	8.63	17.3	ND	20	Metalaxyl	8.63	17.3	ND	20
Carbofuran	8.63	17.3	ND	100	Oxamyl	21.6	43.1	ND	50
Chlorantraniliprole	8.63	17.3	ND	20	Phosmet	8.63	17.3	ND	40
Chlorpyrifos	4.31	8.63	ND	10	Pyridaben	4.31	8.63	ND	10
Clofentezine	4.31	8.63	ND	10	Spiromesifen	4.31	8.63	ND	10
Diazinon	8.63	17.3	ND	50	Spirotetramat	4.31	8.63	ND	10
Ethoprophos	8.63	17.3	ND	20	Tebuconazole	17.3	34.5	ND	50
Etofenprox	4.31	8.63	ND	10	Thiamethoxam	8.63	17.3	ND	20
Etoxazole	4.31	8.63	ND	10	Trifloxystrobin	4.31	8.63	ND	10
Fenpyroximate	4.31	8.63	ND	15					

Mycotoxins

Pass

Sample Analysis

Sample Prep Date: 01/16/2026
Sample Analysis Date: 01/19/2026
Analyzed By: Agilent Ultivo LC-MS/MS
SOP: SOP_PEST_001

Analyte	LOD (ppb)	LOQ (ppb)	Results (ppb)	Limit (ppb)
Aflatoxin B1	5.69	17.3	ND	20
Aflatoxin B2	5.69	17.3	ND	20
Aflatoxin G1	5.69	17.3	ND	20
Aflatoxin G2	5.69	17.3	ND	20
Ochratoxin A	5.69	17.3	ND	20

Report Notes:

Philip Travisano III, Ph.D.
CTS Illinois State Director

Smithers CTS Illinois LLC
8205 Cass Ave. Ste. 106
Darien, IL 60561
(872)-870-0500

ilac-MRA

PJLA Testing
Accreditation #: 107434

Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations.

Craftsmith Beverage
1748 W Jefferson Ave. Unit C
Naperville, IL. 60540
License #: 4089-9195
Confident ID: 2601SMIL0043.0302
Metrc Source ID: 001C-L03-092425-01

SMITHERS

CERTIFICATE OF ANALYSIS

License #: CTL0004

Certificate: 38105

Heavy Metals

Pass

Sample Analysis

Sample Prep Date: 01/16/2026
Sample Analysis Date: 01/19/2026
Analyzed By: Agilent 7800 ICP-MS
SOP: SOP_HM_001

Analyte	LOD (ppb)	LOQ (ppb)	Results (ppb)	Limit (ppb)
Cadmium	28.1	84.5	ND	500
Mercury	2.81	8.45	ND	3000
Lead	28.1	84.5	ND	1000
Chromium	28.1	84.5	ND	2000
Arsenic	28.1	84.5	ND	1500

Microbial Impurities

Pass

Sample Analysis

Sample Prep Date: 01/15/2026
Sample Analysis Date: 01/19/2026
Analyzed By: 3M Petrifilm
SOP: SOP_MICRO_001

Analyte	Results (cfu/g)	Limit (cfu/g)
Total Aerobic Bacteria	ND	10000
Total Bile-Tolerant Gram-Negative Bacteria	ND	100
Total Coliforms	ND	100
Total Yeast & Mold	ND	1000
E.coli (pathogenic strains)	Not Detected	Detected
Salmonella spp.	Not Detected	Detected

Report Notes:

Philip Travisano III, Ph.D.
CTS Illinois State Director

Smithers CTS Illinois LLC
8205 Cass Ave. Ste. 106
Darien, IL 60561
(872)-870-0500

ilac-MRA

PJLA Testing
Accreditation #: 107434

Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations.

Craftsmith Beverage
1748 W Jefferson Ave. Unit C
Naperville, IL. 60540
License #: 4089-9195
Confident ID: 2601SMIL0043.0302
Metrc Source ID: 001C-L03-092425-01

SMITHERS

CERTIFICATE OF ANALYSIS

License #: CTL0004

Certificate: 38105

Residual Solvents

Pass

Sample Analysis

Sample Prep Date: 01/16/2026
Sample Analysis Date: 01/19/2026
Analyzed By: GCMS
SOP: SOP-RS-001

Analyte	LOD (ppm)	LOQ (ppm)	Results (ppm)	Limit (ppm)
Acetone	6.048	12.097	ND	5000
Butane	6.048	12.097	ND	5000
Ethanol	6.048	12.097	517.460	5000
Ethyl Acetate	6.048	12.097	ND	5000
Ethyl Ether	6.048	12.097	ND	5000
Ethylene Oxide	1.008	2.016	ND	50
Heptane	6.048	12.097	ND	5000
Hexane	6.048	12.097	ND	290
Isopropyl Alcohol	6.048	12.097	ND	5000
Methanol	6.048	12.097	ND	3000
Methylene Chloride	6.048	12.097	ND	600
Pentane	6.048	12.097	ND	5000
Petroleum Ether	6.048	12.097	ND	400
Propane	6.048	12.097	ND	5000
Trichloroethylene	6.048	12.097	ND	80
Toluene	6.048	12.097	ND	5000
Xylenes	6.048	12.097	ND	2170

Report Notes:

Philip Travisano III, Ph.D.
CTS Illinois State Director

Smithers CTS Illinois LLC
8205 Cass Ave. Ste. 106
Darien, IL 60561
(872)-870-0500

ilac-MRA

PJLA Testing
Accreditation #: 107434

Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations.