# Certificate of Analysis

**Universal Hemp Panel**

## ANALYZED BY:

Anresco Laboratories
1375 Van Dyke Avenue,
San Francisco, CA 94124
DEA# PA0202945

## CUSTOMER:

Radix Labs, Inc. dba FindWunder
2201 Broadway FL 4
Oakland 94612
.

## MANUFACTURER:

Surly Brewing Company
4811 Dusharme Dr
Brooklyn Center 55429
FDA: 13566238728
13762318736
LPMFR-A25-000046

## SAMPLE INFORMATION

**Sample No.:** 1411254
**Product Name:** Find Wunder: Higher Vibes Blackberry Lemon
**Matrix:** Edible (Carbonated Beverage)
**Lot #:** WSUHVBL-050726A

**Production Date:** 05/11/2026
**Date Collected:** 05/13/2026
**Date Received:** 05/13/2026
**Date Reported:** 05/19/2026
**Expiration Date:** 05/11/2027

## TEST SUMMARY

| | | | |
|---|---|---|---|
| **Cannabinoid Profile:** | Tested | **Microbiological Screen:** | Pass |
| **Pesticide Residue Screen:** | Pass | **Residual Solvent Screen:** | Pass |
| **Heavy Metal Screen:** | Pass | **Foreign Material:** | Pass |
| **Mycotoxin Screen:** | Pass | | |

**Customer Comment(s):** The batch was processed in a facility that holds a current and valid permit issued by a human health or food safety regulatory entity with authority over the facility, and that facility meets the human health or food safety sanitization requirements of the regulatory entity.

## Cannabinoid Profile Tested

*05/15/2026*

**Method:** MF-CHEM-15
**Instrument:** Liquid Chromatography Diode Array Detector (LC-DAD)
**Limit of Detection** 0.0008 mg/g
**Limit of Quantitation** 0.0025 mg/g
**Measurement of Uncertainty Average:** ±6.3%

| Cannabinoid | mg/g | % | mg/ml | mg/serving | mg/package | Labeled mg/serving | % Difference |
|---|---|---|---|---|---|---|---|
| Δ8-THC | ND | ND | ND | ND | ND | - | - |
| Δ9-THC | 0.0285 | 0.00285 | 0.0291 | 10.34 | 10.34 | 10 | 3.43 |
| Δ9-THCA | ND | ND | ND | ND | ND | - | - |
| THCV | ND | ND | ND | ND | ND | - | - |
| THCVA | ND | ND | ND | ND | ND | - | - |
| CBD | ND | ND | ND | ND | ND | - | - |
| CBDA | ND | ND | ND | ND | ND | - | - |
| CBC | ND | ND | ND | ND | ND | - | - |
| CBCA | ND | ND | ND | ND | ND | - | - |
| CBDV | ND | ND | ND | ND | ND | - | - |
| CBG | 0.0283 | 0.00283 | 0.0289 | 10.27 | 10.27 | 10 | 2.71 |
| CBGA | ND | ND | ND | ND | ND | - | - |
| CBN | ND | ND | ND | ND | ND | - | - |
| Exo-THC | ND | ND | ND | ND | ND | - | - |
| (6aR,9R)-Δ10-THC | ND | ND | ND | ND | ND | - | - |
| (6aR,9S)-Δ10-THC | ND | ND | ND | ND | ND | - | - |
| 9(R)-Hexahydrocannabinol | ND | ND | ND | ND | ND | - | - |
| 9(S)-Hexahydrocannabinol | ND | ND | ND | ND | ND | - | - |
| Δ8-THC-O-Acetate | ND | ND | ND | ND | ND | - | - |
| Δ9-THC-O-Acetate | ND | ND | ND | ND | ND | - | - |
| THC-O-Phosphate | NT | NT | NT | NT | NT | - | - |
| Δ8-THCP | ND | ND | ND | ND | ND | - | - |
| Δ9-THCP | ND | ND | ND | ND | ND | - | - |
| Total Δ9-THC | 0.0285 | 0.00285 | 0.0291 | 10.34 | 10.34 | - | - |
| Total THC | 0.0285 | 0.00285 | 0.0291 | 10.34 | 10.34 | - | - |
| Total CBD | ND | ND | ND | ND | ND | - | - |
| Total Cannabinoids | 0.0568 | 0.00568 | 0.0581 | 20.61 | 20.61 | - | - |



This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB - Certificate Number AT-1551. Based upon the analytes and limits set forth in this monograph, the batch does not contain contaminants unsafe for human consumption.

| Cannabinoid | mg/g | % | mg/ml | mg/serving | mg/package | Labeled mg/serving | % Difference |
|---|---|---|---|---|---|---|---|
| Sum of Cannabinoids | 0.0568 | 0.00568 | 0.0581 | 20.61 | 20.61 | - | - |
| **Serving Weight (g)** | 362.9165 | | | | | | |
| **Package Weight (g)** | 362.9165 | | | | | | |
| **g/ml Conversion Factor** | 1.0223 | | | | | | |

Total Δ9-THC = Δ9-THC + (0.877 * THCA)
Total THC = Δ8-THC + Δ9-THC + (0.877 * THCA)
Total CBD = CBD + (0.877 * CBDA)
Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 * Σ (acidic cannabinoids)]

## Microbiological Screen ✔ Pass

*05/18/2026*

**Measurement of Uncertainty Average:** APC ±35.6%, Y&M ±31.3%

| Analyte | Findings | Units | Method | Limit | Status |
|---|---|---|---|---|---|
| Salmonella | ND | /25g | AOAC 2016.01 | ND | Pass |
| STEC | ND | /25g | MF-MICRO-18 | ND | Pass |
| Aspergillus flavus | ND | /25g | MF-MICRO-14 | ND | Pass |
| Aspergillus fumigatus | ND | /25g | MF-MICRO-14 | ND | Pass |
| Aspergillus niger | ND | /25g | MF-MICRO-14 | ND | Pass |
| Aspergillus terreus | ND | /25g | MF-MICRO-14 | ND | Pass |
| Listeria Species | ND | /25g | AOAC 2016.07 | ND | Pass |
| Total Aerobic Plate Count | 0/10 | cfu/g | FDA BAM | 100000 | Pass |
| Total Coliforms | 0/10 | cfu/g | FDA BAM - ECC Agar | 100 | Pass |
| E. Coli | ND | /1g | FDA BAM Modified | ND | Pass |
| Total Enterobacteriaceae | <1 | cfu/g | AOAC 2003.01 | ND | Pass |
| Staphylococcus aureus | <1 | cfu/g | AOAC 2003.07 | ND | Pass |
| Total Yeast and Mold | 0/10 | cfu/g | FDA BAM | 10000 | Pass |

## Pesticide Residue Screen ✔ Pass

*05/19/2026*

**Method:** MF-CHEM-13

**Instrument:** Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

**Measurement of Uncertainty Average:** ±21.40%

| Analyte | LOD/LOQ (ppm) | Findings (ppm) | Limit (ppm) | Status |
|---|---|---|---|---|
| Abamectin | 0.015/0.05 | ND | 0.05 | Pass |
| Acephate | 0.003/0.01 | ND | 0.01 | Pass |
| Acequinocyl | 0.003/0.01 | ND | 0.01 | Pass |
| Acetamiprid | 0.003/0.01 | ND | 0.01 | Pass |
| Aldicarb | 0.003/0.01 | ND | 0.01 | Pass |
| Azoxystrobin | 0.003/0.01 | ND | 0.01 | Pass |
| Bifenazate | 0.003/0.01 | ND | 0.01 | Pass |
| Bifenthrin | 0.003/0.01 | ND | 0.01 | Pass |
| Boscalid | 0.003/0.01 | ND | 0.01 | Pass |
| Captan | 0.250/0.7 | ND | 0.7 | Pass |
| Carbaryl | 0.003/0.01 | ND | 0.01 | Pass |
| Carbofuran | 0.003/0.01 | ND | 0.01 | Pass |
| Chlorantraniliprole | 0.003/0.01 | ND | 0.01 | Pass |
| Chlordane | 0.020/0.06 | ND | 0.06 | Pass |
| Chlorfenapyr | 0.015/0.05 | ND | 0.05 | Pass |
| Chlorpyrifos | 0.003/0.01 | ND | 0.01 | Pass |
| Clofentezine | 0.003/0.01 | ND | 0.01 | Pass |
| Coumaphos | 0.003/0.01 | ND | 0.01 | Pass |
| Cyfluthrin | 0.015/0.05 | ND | 0.05 | Pass |
| Cypermethrin | 0.015/0.05 | ND | 0.05 | Pass |
| Daminozide | 0.003/0.01 | ND | 0.01 | Pass |
| DDVP (Dichlorvos) | 0.003/0.01 | ND | 0.01 | Pass |
| Diazinon | 0.003/0.01 | ND | 0.01 | Pass |
| Dimethoate | 0.003/0.01 | ND | 0.01 | Pass |
| Dimethomorph | 0.003/0.01 | ND | 0.01 | Pass |
| Ethoprop(hos) | 0.003/0.01 | ND | 0.01 | Pass |
| Etofenprox | 0.003/0.01 | ND | 0.01 | Pass |
| Etoxazole | 0.003/0.01 | ND | 0.01 | Pass |
| Fenhexamid | 0.007/0.02 | ND | 0.02 | Pass |
| Fenoxycarb | 0.003/0.01 | ND | 0.01 | Pass |
| Fenpyroximate | 0.007/0.02 | ND | 0.02 | Pass |
| Fipronil | 0.003/0.01 | ND | 0.01 | Pass |



This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB - Certificate Number AT-1551. Based upon the analytes and limits set forth in this monograph, the batch does not contain contaminants unsafe for human consumption.

| Analyte | LOD/LOQ (ppm) | Findings (ppm) | Limit (ppm) | Status |
|---|---|---|---|---|
| Flonicamid | 0.003/0.01 | ND | 0.01 | Pass |
| Fludioxonil | 0.003/0.01 | ND | 0.01 | Pass |
| Hexythiazox | 0.003/0.01 | ND | 0.01 | Pass |
| Imazalil | 0.003/0.01 | ND | 0.01 | Pass |
| Imidacloprid | 0.003/0.01 | ND | 0.01 | Pass |
| Kresoxim Methyl | 0.003/0.01 | ND | 0.01 | Pass |
| Malathion | 0.003/0.01 | ND | 0.01 | Pass |
| Metalaxyl | 0.003/0.01 | ND | 0.01 | Pass |
| Methiocarb | 0.003/0.01 | ND | 0.01 | Pass |
| Methomyl | 0.003/0.01 | ND | 0.01 | Pass |
| Methyl parathion | 0.003/0.01 | ND | 0.01 | Pass |
| Mevinphos | 0.007/0.02 | ND | 0.02 | Pass |
| Myclobutanil | 0.003/0.01 | ND | 0.01 | Pass |
| Naled | 0.003/0.01 | ND | 0.01 | Pass |
| Oxamyl | 0.003/0.01 | ND | 0.01 | Pass |
| Paclobutrazol | 0.003/0.01 | ND | 0.01 | Pass |
| Pentachloronitrobenzene | 0.003/0.01 | ND | 0.01 | Pass |
| Permethrins | 0.015/0.05 | ND | 0.05 | Pass |
| Phosmet | 0.003/0.01 | ND | 0.01 | Pass |
| Piperonyl Butoxide | 0.003/0.01 | ND | 0.01 | Pass |
| Prallethrin | 0.015/0.05 | ND | 0.05 | Pass |
| Propiconazole | 0.003/0.01 | ND | 0.01 | Pass |
| Propoxur | 0.003/0.01 | ND | 0.01 | Pass |
| Pyrethrins | 0.015/0.05 | ND | 0.05 | Pass |
| Pyridaben | 0.003/0.01 | ND | 0.01 | Pass |
| Spinetoram | 0.003/0.01 | ND | 0.01 | Pass |
| Spinosad | 0.003/0.01 | ND | 0.01 | Pass |
| Spiromesifen | 0.003/0.01 | ND | 0.01 | Pass |
| Spirotetramat | 0.003/0.01 | ND | 0.01 | Pass |
| Spiroxamine | 0.003/0.01 | ND | 0.01 | Pass |
| Tebuconazole | 0.003/0.01 | ND | 0.01 | Pass |
| Thiacloprid | 0.003/0.01 | ND | 0.01 | Pass |
| Thiamethoxam | 0.003/0.01 | ND | 0.01 | Pass |
| Trifloxystrobin | 0.003/0.01 | ND | 0.01 | Pass |
| Azadirachtin | 0.100/0.30 | ND | 0.3 | Pass |
| Chlormequat Chloride | 0.03/0.10 | ND | 0.1 | Pass |
| MGK 264 | 0.03/0.10 | ND | 0.1 | Pass |



This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB - Certificate Number AT-1551. Based upon the analytes and limits set forth in this monograph, the batch does not contain contaminants unsafe for human consumption.

## Residual Solvent Screen ✔ Pass

*05/19/2026*

**Method:** MF-CHEM-32

**Measurement of Uncertainty Average:** ±1.43%

| Analyte | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Status |
|---|---|---|---|---|
| Propane | 67/200 | ND | 210 | Pass |
| (+/-)-2-Butanol | 13.3/40 | ND | 5000 | Pass |
| 1,1-Dichloroethene | 2/4 | ND | 8 | Pass |
| 1,2-Dichloroethane | 0.2/0.5 | ND | 5 | Pass |
| 1,4-Dioxane | 13.3/40 | ND | 30 | Pass |
| 2-Ethoxyethanol | 13.3/40 | ND | 160 | Pass |
| Acetone | 67/200 | ND | 500 | Pass |
| Acetonitrile | 67/200 | ND | 410 | Pass |
| Benzene | 0.2/0.5 | ND | 1 | Pass |
| Chloroform | 0.2/0.5 | ND | 2 | Pass |
| Cumene | 13.3/40 | ND | 70 | Pass |
| Cyclohexane | 13.3/40 | ND | 3880 | Pass |
| Ethanol | 67/200 | ND | 5000 | Pass |
| Ethyl acetate | 67/200 | ND | 1000 | Pass |
| Ethyl ether | 67/200 | ND | 5000 | Pass |
| Ethylene Glycol | 13.3/40 | ND | 620 | Pass |
| Ethylene oxide | 0.2/0.5 | ND | 5 | Pass |
| n-Heptane | 67/200 | ND | 500 | Pass |
| Isopropyl Acetate | 13.3/40 | ND | 5000 | Pass |
| Isopropyl alcohol | 67/200 | ND | 500 | Pass |
| Methanol | 67/200 | ND | 500 | Pass |
| Methylene chloride | 0.2/0.5 | ND | 600 | Pass |
| Toluene | 67/200 | ND | 53 | Pass |
| Tetrahydrofuran | 13.3/40 | ND | 720 | Pass |
| Trichloroethene | 13.3/40 | ND | 80 | Pass |
| Isobutane | 6.7/20 | ND | - | See Total Butanes |
| n-Butane | 67/200 | ND | - | See Total Butanes |
| Total Butanes | 6.7/40 | ND | 500 | Pass |
| 2,2-Dimethylbutane | 2.7/8 | ND | - | See Total Hexanes |
| 2,3-Dimethylbutane | 2.7/8 | ND | - | See Total Hexanes |
| 2-Methylpentane | 2.7/8 | ND | - | Pass |
| 3-Methylpentane | 2.7/8 | ND | - | Pass |
| n-Hexane | 67/200 | ND | - | See Total Hexanes |
| Total Hexanes | 2.7/8 | ND | 18 | Pass |
| 2 Methylbutane | 4.4/13.34 | ND | - | See Total Pentanes |
| Neopentane | 4.4/13.34 | ND | - | See Total Pentanes |
| n-Pentane | 67/200 | ND | - | See Total Pentanes |
| Total Pentanes | 4.4/13.34 | ND | 500 | Pass |
| Ethylbenzene | 3.3/10 | ND | - | See Total Xylenes |
| m+p-Xylene | 6.7/20 | ND | - | See Total Xylenes |
| o-Xylene | 3.3/10 | ND | - | See Total Xylenes |
| Total Xylenes | 67/200 | ND | 217 | Pass |

## Heavy Metal Screen ✔ Pass

*05/19/2026*

**Method:** MF-CHEM-16

**Instrument:** Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

**Measurement of Uncertainty Average:** ±4.4%

| Analyte | LOD / LOQ (µg/g) | Findings (µg/g) | Limit | Status |
|---|---|---|---|---|
| Arsenic | 0.033/0.101 | ND | 0.2 | Pass |
| Cadmium | 0.047/0.141 | ND | 0.2 | Pass |
| Mercury | 0.014/0.05 | ND | 0.1 | Pass |
| Lead | 0.107/0.324 | ND | 0.5 | Pass |

## Foreign Material ✔ Pass

*05/19/2026*

**Method:** MF-CHEM-7

| Analyte | Findings | Limit | Status |
|---|---|---|---|
| Sand, Soils, Cinders, and Dirt | ND | 25% | Pass |
| Mold | ND | 25% | Pass |
| Imbedded Foreign Material | ND | 25% | Pass |
| Insect Fragment | ND | 1 per 3g | Pass |
| Hair | ND | 1 per 3g | Pass |
| Mammalian Excreta | ND | 1 per 3g | Pass |



This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB - Certificate Number AT-1551. Based upon the analytes and limits set forth in this monograph, the batch does not contain contaminants unsafe for human consumption.

anresco LABORATORIES since 1943

# Certificate of Analysis

## Mycotoxin Screen ✔ Pass

*05/19/2026*

**Method:** MF-CHEM-13

**Instrument:** Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

**Measurement of Uncertainty (MU):** ±20.21%

| Analyte | LOD/LOQ (ppb) | Findings (ppb) | Limit (ppb) | Status |
|---|---|---|---|---|
| Aflatoxin B1 | 2/5 | ND | 5 | Pass |
| Aflatoxin B2 | 2/5 | ND | 20 | Pass |
| Aflatoxin G1 | 2/5 | ND | 20 | Pass |
| Aflatoxin G2 | 2/5 | ND | 20 | Pass |
| Total Aflatoxins | 8/20 | ND | 20 | Pass |
| Ochratoxin A | 2/5 | ND | 5 | Pass |

**Product Ingredients:** Carbonated Water, Allulose, Cane Sugar, Natural Flavors, Citric Acid, Hemp Extract, Sodium Benzoate, Potassium Sorbate, Ascorbic Acid, L-Theanine, Sodium Citrate, Fruit and Vegetable Juice

ND = None Detected
LOD = Limit of Detection
LOQ = Limit of Quantitation

**Reported by**

Vu Lam
Lab Co Director

**Scan to verify**



This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB - Certificate Number AT-1551. Based upon the analytes and limits set forth in this monograph, the batch does not contain contaminants unsafe for human consumption.

# Certificate of Analysis

**Universal Hemp Panel**

## ANALYZED BY:

Anresco Laboratories
1375 Van Dyke Avenue,
San Francisco, CA 94124
DEA# PA0202945

## CUSTOMER:

Radix Labs, Inc. dba FindWunder
2201 Broadway FL 4
Oakland 94612
.

## MANUFACTURER:

Surly Brewing Company
4811 Dusharme Dr
Brooklyn Center 55429
FDA: 13566238728
13762318736
LPMFR-A25-000046

## SAMPLE INFORMATION

**Sample No.:** 1415487
**Product Name:** Find Wunder: Higher Vibes Watermelon Basil
**Matrix:** Edible (Carbonated Beverage)
**Lot #:** WSUHVWB-052126.2A

**Production Date:** 05/26/2026
**Date Collected:** 05/28/2026
**Date Received:** 05/28/2026
**Date Reported:** 06/04/2026
**Expiration Date:** 11/24/2027

## TEST SUMMARY

**Cannabinoid Profile:** Tested
**Pesticide Residue Screen:** Pass
**Heavy Metal Screen:** Pass
**Mycotoxin Screen:** Pass
**Microbiological Screen:** Pass
**Residual Solvent Screen:** Pass
**Foreign Material:** Pass

**Customer Comment(s):** The batch was processed in a facility that holds a current and valid permit issued by a human health or food safety regulatory entity with authority over the facility, and that facility meets the human health or food safety sanitization requirements of the regulatory entity.

## Cannabinoid Profile Tested

*06/01/2026*

**Method:** MF-CHEM-15
**Instrument:** Liquid Chromatography Diode Array Detector (LC-DAD)
**Limit of Detection** 0.0008 mg/g
**Limit of Quantitation** 0.0025 mg/g
**Measurement of Uncertainty Average:** ±6.3%

| Cannabinoid | mg/g | % | mg/ml | mg/serving | mg/package | Labeled mg/serving | % Difference |
|---|---|---|---|---|---|---|---|
| Δ8-THC | ND | ND | ND | ND | ND | - | - |
| Δ9-THC | 0.0300 | 0.003 | 0.0306 | 10.86 | 10.86 | 10 | 8.61 |
| Δ9-THCA | ND | ND | ND | ND | ND | - | - |
| THCV | ND | ND | ND | ND | ND | - | - |
| THCVA | ND | ND | ND | ND | ND | - | - |
| CBD | ND | ND | ND | ND | ND | - | - |
| CBDA | ND | ND | ND | ND | ND | - | - |
| CBC | ND | ND | ND | ND | ND | - | - |
| CBCA | ND | ND | ND | ND | ND | - | - |
| CBDV | ND | ND | ND | ND | ND | - | - |
| CBG | 0.0293 | 0.00293 | 0.0299 | 10.61 | 10.61 | 10 | 6.07 |
| CBGA | ND | ND | ND | ND | ND | - | - |
| CBN | ND | ND | ND | ND | ND | - | - |
| Exo-THC | ND | ND | ND | ND | ND | - | - |
| (6aR,9R)-Δ10-THC | ND | ND | ND | ND | ND | - | - |
| (6aR,9S)-Δ10-THC | ND | ND | ND | ND | ND | - | - |
| 9(R)-Hexahydrocannabinol | ND | ND | ND | ND | ND | - | - |
| 9(S)-Hexahydrocannabinol | ND | ND | ND | ND | ND | - | - |
| Δ8-THC-O-Acetate | ND | ND | ND | ND | ND | - | - |
| Δ9-THC-O-Acetate | ND | ND | ND | ND | ND | - | - |
| THC-O-Phosphate | NT | NT | NT | NT | NT | - | - |
| Δ8-THCP | ND | ND | ND | ND | ND | - | - |
| Δ9-THCP | ND | ND | ND | ND | ND | - | - |
| Total Δ9-THC | 0.03 | 0.003 | 0.0306 | 10.86 | 10.86 | - | - |
| Total THC | 0.03 | 0.003 | 0.0306 | 10.86 | 10.86 | - | - |
| Total CBD | ND | ND | ND | ND | ND | - | - |
| Total Cannabinoids | 0.0593 | 0.00593 | 0.0605 | 21.47 | 21.47 | - | - |



This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB - Certificate Number AT-1551. Based upon the analytes and limits set forth in this monograph, the batch does not contain contaminants unsafe for human consumption.

| Cannabinoid | mg/g | % | mg/ml | mg/serving | mg/package | Labeled mg/serving | % Difference |
|---|---|---|---|---|---|---|---|
| Sum of Cannabinoids | 0.0593 | 0.00593 | 0.0605 | 21.47 | 21.47 | - | - |
| **Serving Weight (g)** | 362.0290 | | | | | | |
| **Package Weight (g)** | 362.029 | | | | | | |
| **g/ml Conversion Factor** | 1.0198 | | | | | | |

Total Δ9-THC = Δ9-THC + (0.877 * THCA)
Total THC = Δ8-THC + Δ9-THC + (0.877 * THCA)
Total CBD = CBD + (0.877 * CBDA)
Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 * Σ (acidic cannabinoids)]

## Microbiological Screen ✔ Pass

*06/02/2026*

**Measurement of Uncertainty Average:** APC ±35.6%, Y&M ±31.3%

| Analyte | Findings | Units | Method | Limit | Status |
|---|---|---|---|---|---|
| Salmonella | ND | /25g | AOAC 2016.01 | ND | Pass |
| STEC | ND | /25g | MF-MICRO-18 | ND | Pass |
| Aspergillus flavus | ND | /25g | MF-MICRO-14 | ND | Pass |
| Aspergillus fumigatus | ND | /25g | MF-MICRO-14 | ND | Pass |
| Aspergillus niger | ND | /25g | MF-MICRO-14 | ND | Pass |
| Aspergillus terreus | ND | /25g | MF-MICRO-14 | ND | Pass |
| Listeria Species | ND | /25g | AOAC 2016.07 | ND | Pass |
| Total Aerobic Plate Count | 0/10 | cfu/g | FDA BAM | 100000 | Pass |
| Total Coliforms | 0/10 | cfu/g | FDA BAM - ECC Agar | 100 | Pass |
| E. Coli | ND | /1g | FDA BAM Modified | ND | Pass |
| Total Enterobacteriaceae | <1 | cfu/g | AOAC 2003.01 | ND | Pass |
| Staphylococcus aureus | <1 | cfu/g | AOAC 2003.07 | ND | Pass |
| Total Yeast and Mold | 0/10 | cfu/g | FDA BAM | 10000 | Pass |

## Pesticide Residue Screen ✔ Pass

*06/03/2026*

**Method:** MF-CHEM-13

**Instrument:** Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

**Measurement of Uncertainty Average:** ±21.40%

| Analyte | LOD/LOQ (ppm) | Findings (ppm) | Limit (ppm) | Status |
|---|---|---|---|---|
| Abamectin | 0.015/0.05 | ND | 0.05 | Pass |
| Acephate | 0.003/0.01 | ND | 0.01 | Pass |
| Acequinocyl | 0.003/0.01 | ND | 0.01 | Pass |
| Acetamiprid | 0.003/0.01 | ND | 0.01 | Pass |
| Aldicarb | 0.003/0.01 | ND | 0.01 | Pass |
| Azoxystrobin | 0.003/0.01 | ND | 0.01 | Pass |
| Bifenazate | 0.003/0.01 | ND | 0.01 | Pass |
| Bifenthrin | 0.003/0.01 | ND | 0.01 | Pass |
| Boscalid | 0.003/0.01 | ND | 0.01 | Pass |
| Captan | 0.250/0.7 | ND | 0.7 | Pass |
| Carbaryl | 0.003/0.01 | ND | 0.01 | Pass |
| Carbofuran | 0.003/0.01 | ND | 0.01 | Pass |
| Chlorantraniliprole | 0.003/0.01 | ND | 0.01 | Pass |
| Chlordane | 0.020/0.06 | ND | 0.06 | Pass |
| Chlorfenapyr | 0.015/0.05 | ND | 0.05 | Pass |
| Chlorpyrifos | 0.003/0.01 | ND | 0.01 | Pass |
| Clofentezine | 0.003/0.01 | ND | 0.01 | Pass |
| Coumaphos | 0.003/0.01 | ND | 0.01 | Pass |
| Cyfluthrin | 0.015/0.05 | ND | 0.05 | Pass |
| Cypermethrin | 0.015/0.05 | ND | 0.05 | Pass |
| Daminozide | 0.003/0.01 | ND | 0.01 | Pass |
| DDVP (Dichlorvos) | 0.003/0.01 | ND | 0.01 | Pass |
| Diazinon | 0.003/0.01 | ND | 0.01 | Pass |
| Dimethoate | 0.003/0.01 | ND | 0.01 | Pass |
| Dimethomorph | 0.003/0.01 | ND | 0.01 | Pass |
| Ethoprop(hos) | 0.003/0.01 | ND | 0.01 | Pass |
| Etofenprox | 0.003/0.01 | ND | 0.01 | Pass |
| Etoxazole | 0.003/0.01 | ND | 0.01 | Pass |
| Fenhexamid | 0.007/0.02 | ND | 0.02 | Pass |
| Fenoxycarb | 0.003/0.01 | ND | 0.01 | Pass |
| Fenpyroximate | 0.007/0.02 | ND | 0.02 | Pass |
| Fipronil | 0.003/0.01 | ND | 0.01 | Pass |



This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB - Certificate Number AT-1551. Based upon the analytes and limits set forth in this monograph, the batch does not contain contaminants unsafe for human consumption.

| Analyte | LOD/LOQ (ppm) | Findings (ppm) | Limit (ppm) | Status |
|---|---|---|---|---|
| Flonicamid | 0.003/0.01 | ND | 0.01 | Pass |
| Fludioxonil | 0.003/0.01 | ND | 0.01 | Pass |
| Hexythiazox | 0.003/0.01 | ND | 0.01 | Pass |
| Imazalil | 0.003/0.01 | ND | 0.01 | Pass |
| Imidacloprid | 0.003/0.01 | ND | 0.01 | Pass |
| Kresoxim Methyl | 0.003/0.01 | ND | 0.01 | Pass |
| Malathion | 0.003/0.01 | ND | 0.01 | Pass |
| Metalaxyl | 0.003/0.01 | ND | 0.01 | Pass |
| Methiocarb | 0.003/0.01 | ND | 0.01 | Pass |
| Methomyl | 0.003/0.01 | ND | 0.01 | Pass |
| Methyl parathion | 0.003/0.01 | ND | 0.01 | Pass |
| Mevinphos | 0.007/0.02 | ND | 0.02 | Pass |
| Myclobutanil | 0.003/0.01 | ND | 0.01 | Pass |
| Naled | 0.003/0.01 | ND | 0.01 | Pass |
| Oxamyl | 0.003/0.01 | ND | 0.01 | Pass |
| Paclobutrazol | 0.003/0.01 | ND | 0.01 | Pass |
| Pentachloronitrobenzene | 0.003/0.01 | ND | 0.01 | Pass |
| Permethrins | 0.015/0.05 | ND | 0.05 | Pass |
| Phosmet | 0.003/0.01 | ND | 0.01 | Pass |
| Piperonyl Butoxide | 0.003/0.01 | ND | 0.01 | Pass |
| Prallethrin | 0.015/0.05 | ND | 0.05 | Pass |
| Propiconazole | 0.003/0.01 | ND | 0.01 | Pass |
| Propoxur | 0.003/0.01 | ND | 0.01 | Pass |
| Pyrethrins | 0.015/0.05 | ND | 0.05 | Pass |
| Pyridaben | 0.003/0.01 | ND | 0.01 | Pass |
| Spinetoram | 0.003/0.01 | ND | 0.01 | Pass |
| Spinosad | 0.003/0.01 | ND | 0.01 | Pass |
| Spiromesifen | 0.003/0.01 | ND | 0.01 | Pass |
| Spirotetramat | 0.003/0.01 | ND | 0.01 | Pass |
| Spiroxamine | 0.003/0.01 | ND | 0.01 | Pass |
| Tebuconazole | 0.003/0.01 | ND | 0.01 | Pass |
| Thiacloprid | 0.003/0.01 | ND | 0.01 | Pass |
| Thiamethoxam | 0.003/0.01 | ND | 0.01 | Pass |
| Trifloxystrobin | 0.003/0.01 | ND | 0.01 | Pass |
| Azadirachtin | 0.100/0.30 | ND | 0.3 | Pass |
| Chlormequat Chloride | 0.03/0.10 | ND | 0.1 | Pass |
| MGK 264 | 0.03/0.10 | ND | 0.1 | Pass |



This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB - Certificate Number AT-1551. Based upon the analytes and limits set forth in this monograph, the batch does not contain contaminants unsafe for human consumption.

## Residual Solvent Screen ✔ Pass

06/03/2026

**Method:** MF-CHEM-32

**Measurement of Uncertainty Average:** ±1.43%

| Analyte | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Status |
|---|---|---|---|---|
| Propane | 67/200 | ND | 210 | Pass |
| (+/-)-2-Butanol | 13.3/40 | ND | 5000 | Pass |
| 1,1-Dichloroethene | 2/4 | ND | 8 | Pass |
| 1,2-Dichloroethane | 0.2/0.5 | ND | 5 | Pass |
| 1,4-Dioxane | 13.3/40 | ND | 30 | Pass |
| 2-Ethoxyethanol | 13.3/40 | ND | 160 | Pass |
| Acetone | 67/200 | ND | 500 | Pass |
| Acetonitrile | 67/200 | ND | 410 | Pass |
| Benzene | 0.2/0.5 | ND | 1 | Pass |
| Chloroform | 0.2/0.5 | ND | 2 | Pass |
| Cumene | 13.3/40 | ND | 70 | Pass |
| Cyclohexane | 13.3/40 | ND | 3880 | Pass |
| Ethanol | 67/200 | ND | 5000 | Pass |
| Ethyl acetate | 67/200 | <LOD | 1000 | Pass |
| Ethyl ether | 67/200 | ND | 5000 | Pass |
| Ethylene Glycol | 13.3/40 | ND | 620 | Pass |
| Ethylene oxide | 0.2/0.5 | ND | 5 | Pass |
| n-Heptane | 67/200 | ND | 500 | Pass |
| Isopropyl Acetate | 13.3/40 | ND | 5000 | Pass |
| Isopropyl alcohol | 67/200 | ND | 500 | Pass |
| Methanol | 67/200 | ND | 500 | Pass |
| Methylene chloride | 0.2/0.5 | ND | 600 | Pass |
| Toluene | 67/200 | ND | 53 | Pass |
| Tetrahydrofuran | 13.3/40 | ND | 720 | Pass |
| Trichloroethene | 13.3/40 | ND | 80 | Pass |
| Isobutane | 6.7/20 | ND | - | See Total Butanes |
| n-Butane | 67/200 | ND | - | See Total Butanes |
| Total Butanes | 6.7/40 | ND | 500 | Pass |
| 2,2-Dimethylbutane | 2.7/8 | ND | - | See Total Hexanes |
| 2,3-Dimethylbutane | 2.7/8 | ND | - | See Total Hexanes |
| 2-Methylpentane | 2.7/8 | ND | - | Pass |
| 3-Methylpentane | 2.7/8 | ND | - | Pass |
| n-Hexane | 67/200 | ND | - | See Total Hexanes |
| Total Hexanes | 2.7/8 | ND | 18 | Pass |
| 2 Methylbutane | 4.4/13.34 | ND | - | See Total Pentanes |
| Neopentane | 4.4/13.34 | ND | - | See Total Pentanes |
| n-Pentane | 67/200 | ND | - | See Total Pentanes |
| Total Pentanes | 4.4/13.34 | ND | 500 | Pass |
| Ethylbenzene | 3.3/10 | ND | - | See Total Xylenes |
| m+p-Xylene | 6.7/20 | ND | - | See Total Xylenes |
| o-Xylene | 3.3/10 | ND | - | See Total Xylenes |
| Total Xylenes | 67/200 | ND | 217 | Pass |

## Heavy Metal Screen ✔ Pass

06/03/2026

**Method:** MF-CHEM-16

**Instrument:** Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

**Measurement of Uncertainty Average:** ±4.4%

| Analyte | LOD / LOQ (µg/g) | Findings (µg/g) | Limit | Status |
|---|---|---|---|---|
| Arsenic | 0.033/0.101 | ND | 0.2 | Pass |
| Cadmium | 0.047/0.141 | ND | 0.2 | Pass |
| Mercury | 0.014/0.05 | ND | 0.1 | Pass |
| Lead | 0.107/0.324 | ND | 0.5 | Pass |

## Foreign Material ✔ Pass

06/03/2026

**Method:** MF-CHEM-7

| Analyte | Findings | Limit | Status |
|---|---|---|---|
| Sand, Soils, Cinders, and Dirt | ND | 25% | Pass |
| Mold | ND | 25% | Pass |
| Imbedded Foreign Material | ND | 25% | Pass |
| Insect Fragment | ND | 1 per 3g | Pass |
| Hair | ND | 1 per 3g | Pass |
| Mammalian Excreta | ND | 1 per 3g | Pass |



This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB - Certificate Number AT-1551. Based upon the analytes and limits set forth in this monograph, the batch does not contain contaminants unsafe for human consumption.

anresco LABORATORIES since 1943

# Certificate of Analysis

## Mycotoxin Screen ✔ Pass

*06/03/2026*

**Method:** MF-CHEM-13

**Instrument:** Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

**Measurement of Uncertainty (MU):** ±20.21%

| Analyte | LOD/LOQ (ppb) | Findings (ppb) | Limit (ppb) | Status |
|---|---|---|---|---|
| Aflatoxin B1 | 2/5 | ND | 20 | Pass |
| Aflatoxin B2 | 2/5 | ND | 20 | Pass |
| Aflatoxin G1 | 2/5 | ND | 20 | Pass |
| Aflatoxin G2 | 2/5 | ND | 20 | Pass |
| Total Aflatoxins | 8/20 | ND | 20 | Pass |
| Ochratoxin A | 2/5 | ND | 20 | Pass |

**Product Ingredients:** Carbonated water, allulose, cane sugar, natural flavors, citric acid, hemp extract, fruit and vegetable juice, sodium benzoate, potassium sorbate, ascorbic acid, sodium citrate, L-Theanine.

ND = None Detected
LOD = Limit of Detection
LOQ = Limit of Quantitation

**Reported by**

Zachary Eisenberg
President

**Scan to verify**



This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB - Certificate Number AT-1551. Based upon the analytes and limits set forth in this monograph, the batch does not contain contaminants unsafe for human consumption.

# Certificate of Analysis

**Universal Hemp Panel**

## ANALYZED BY:

Anresco Laboratories
1375 Van Dyke Avenue,
San Francisco, CA 94124
DEA# PA0202945

## CUSTOMER:

Radix Labs, Inc. dba FindWunder
2201 Broadway FL 4
Oakland 94612
.

## MANUFACTURER:

Surly Brewing Company
4811 Dusharme Dr
Brooklyn Center 55429
FDA: 13566238728
13762318736
LPMFR-A25-000046

## SAMPLE INFORMATION

**Sample No.:** 1411916
**Product Name:** Find Wunder: Higher Vibes Grapefruit Hibiscus
**Matrix:** Edible (Carbonated Beverage)
**Lot #:** WSUHVGH-050726A

**Production Date:** 05/12/2026
**Date Collected:** 05/14/2026
**Date Received:** 05/14/2026
**Date Reported:** 05/20/2026
**Expiration Date:** 05/12/2027

## TEST SUMMARY

**Cannabinoid Profile:** Tested
**Pesticide Residue Screen:** Pass
**Heavy Metal Screen:** Pass
**Mycotoxin Screen:** Pass
**Microbiological Screen:** Pass
**Residual Solvent Screen:** Pass
**Foreign Material:** Pass

**Customer Comment(s):** The batch was processed in a facility that holds a current and valid permit issued by a human health or food safety regulatory entity with authority over the facility, and that facility meets the human health or food safety sanitization requirements of the regulatory entity.

## Cannabinoid Profile Tested

*05/20/2026*

**Method:** MF-CHEM-15
**Instrument:** Liquid Chromatography Diode Array Detector (LC-DAD)
**Limit of Detection** 0.0008 mg/g
**Limit of Quantitation** 0.0025 mg/g
**Measurement of Uncertainty Average:** ±6.3%

| Cannabinoid | mg/g | % | mg/ml | mg/serving | mg/package | Labeled mg/serving | % Difference |
|---|---|---|---|---|---|---|---|
| Δ8-THC | ND | ND | ND | ND | ND | - | - |
| Δ9-THC | 0.0276 | 0.00276 | 0.0282 | 10.03 | 10.03 | 10 | 0.28 |
| Δ9-THCA | ND | ND | ND | ND | ND | - | - |
| THCV | ND | ND | ND | ND | ND | - | - |
| THCVA | ND | ND | ND | ND | ND | - | - |
| CBD | ND | ND | ND | ND | ND | - | - |
| CBDA | ND | ND | ND | ND | ND | - | - |
| CBC | ND | ND | ND | ND | ND | - | - |
| CBCA | ND | ND | ND | ND | ND | - | - |
| CBDV | ND | ND | ND | ND | ND | - | - |
| CBG | 0.0282 | 0.00282 | 0.0289 | 10.25 | 10.25 | 10 | 2.46 |
| CBGA | ND | ND | ND | ND | ND | - | - |
| CBN | ND | ND | ND | ND | ND | - | - |
| Exo-THC | ND | ND | ND | ND | ND | - | - |
| (6aR,9R)-Δ10-THC | ND | ND | ND | ND | ND | - | - |
| (6aR,9S)-Δ10-THC | ND | ND | ND | ND | ND | - | - |
| 9(R)-Hexahydrocannabinol | ND | ND | ND | ND | ND | - | - |
| 9(S)-Hexahydrocannabinol | ND | ND | ND | ND | ND | - | - |
| Δ8-THC-O-Acetate | ND | ND | ND | ND | ND | - | - |
| Δ9-THC-O-Acetate | ND | ND | ND | ND | ND | - | - |
| THC-O-Phosphate | NT | NT | NT | NT | NT | - | - |
| Δ8-THCP | ND | ND | ND | ND | ND | - | - |
| Δ9-THCP | ND | ND | ND | ND | ND | - | - |
| Total Δ9-THC | 0.0276 | 0.00276 | 0.0282 | 10.03 | 10.03 | - | - |
| Total THC | 0.0276 | 0.00276 | 0.0282 | 10.03 | 10.03 | - | - |
| Total CBD | ND | ND | ND | ND | ND | - | - |
| Total Cannabinoids | 0.0558 | 0.00558 | 0.0571 | 20.27 | 20.27 | - | - |



This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB - Certificate Number AT-1551. Based upon the analytes and limits set forth in this monograph, the batch does not contain contaminants unsafe for human consumption.

| Cannabinoid | mg/g | % | mg/ml | mg/serving | mg/package | Labeled mg/serving | % Difference |
|---|---|---|---|---|---|---|---|
| Sum of Cannabinoids | 0.0558 | 0.00558 | 0.0571 | 20.27 | 20.27 | - | - |
| **Serving Weight (g)** | 363.3425 | | | | | | |
| **Package Weight (g)** | 363.3425 | | | | | | |
| **g/ml Conversion Factor** | 1.0235 | | | | | | |

Total Δ9-THC = Δ9-THC + (0.877 * THCA)
Total THC = Δ8-THC + Δ9-THC + (0.877 * THCA)
Total CBD = CBD + (0.877 * CBDA)
Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 * Σ (acidic cannabinoids)]

## Microbiological Screen ✔ Pass

*05/19/2026*

**Measurement of Uncertainty Average:** APC ±35.6%, Y&M ±31.3%

| Analyte | Findings | Units | Method | Limit | Status |
|---|---|---|---|---|---|
| Salmonella | ND | /25g | AOAC 2016.01 | ND | Pass |
| STEC | ND | /25g | MF-MICRO-18 | ND | Pass |
| Aspergillus flavus | ND | /25g | MF-MICRO-14 | ND | Pass |
| Aspergillus fumigatus | ND | /25g | MF-MICRO-14 | ND | Pass |
| Aspergillus niger | ND | /25g | MF-MICRO-14 | ND | Pass |
| Aspergillus terreus | ND | /25g | MF-MICRO-14 | ND | Pass |
| Listeria Species | ND | /25g | AOAC 2016.07 | ND | Pass |
| Total Aerobic Plate Count | 0/10 | cfu/g | FDA BAM | 100000 | Pass |
| Total Coliforms | 0/10 | cfu/g | FDA BAM - ECC Agar | 100 | Pass |
| E. Coli | ND | /1g | FDA BAM Modified | ND | Pass |
| Total Enterobacteriaceae | <1 | cfu/g | AOAC 2003.01 | ND | Pass |
| Staphylococcus aureus | <1 | cfu/g | AOAC 2003.07 | ND | Pass |
| Total Yeast and Mold | 0/10 | cfu/g | FDA BAM | 10000 | Pass |

## Pesticide Residue Screen ✔ Pass

*05/20/2026*

**Method:** MF-CHEM-13

**Instrument:** Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

**Measurement of Uncertainty Average:** ±21.40%

| Analyte | LOD/LOQ (ppm) | Findings (ppm) | Limit (ppm) | Status |
|---|---|---|---|---|
| Abamectin | 0.015/0.05 | ND | 0.05 | Pass |
| Acephate | 0.003/0.01 | ND | 0.01 | Pass |
| Acequinocyl | 0.003/0.01 | ND | 0.01 | Pass |
| Acetamiprid | 0.003/0.01 | ND | 0.01 | Pass |
| Aldicarb | 0.003/0.01 | ND | 0.01 | Pass |
| Azoxystrobin | 0.003/0.01 | ND | 0.01 | Pass |
| Bifenazate | 0.003/0.01 | ND | 0.01 | Pass |
| Bifenthrin | 0.003/0.01 | ND | 0.01 | Pass |
| Boscalid | 0.003/0.01 | ND | 0.01 | Pass |
| Captan | 0.250/0.7 | ND | 0.7 | Pass |
| Carbaryl | 0.003/0.01 | ND | 0.01 | Pass |
| Carbofuran | 0.003/0.01 | ND | 0.01 | Pass |
| Chlorantraniliprole | 0.003/0.01 | ND | 0.01 | Pass |
| Chlordane | 0.020/0.06 | ND | 0.06 | Pass |
| Chlorfenapyr | 0.015/0.05 | ND | 0.05 | Pass |
| Chlorpyrifos | 0.003/0.01 | ND | 0.01 | Pass |
| Clofentezine | 0.003/0.01 | ND | 0.01 | Pass |
| Coumaphos | 0.003/0.01 | ND | 0.01 | Pass |
| Cyfluthrin | 0.015/0.05 | ND | 0.05 | Pass |
| Cypermethrin | 0.015/0.05 | ND | 0.05 | Pass |
| Daminozide | 0.003/0.01 | ND | 0.01 | Pass |
| DDVP (Dichlorvos) | 0.003/0.01 | ND | 0.01 | Pass |
| Diazinon | 0.003/0.01 | ND | 0.01 | Pass |
| Dimethoate | 0.003/0.01 | ND | 0.01 | Pass |
| Dimethomorph | 0.003/0.01 | ND | 0.01 | Pass |
| Ethoprop(hos) | 0.003/0.01 | ND | 0.01 | Pass |
| Etofenprox | 0.003/0.01 | ND | 0.01 | Pass |
| Etoxazole | 0.003/0.01 | ND | 0.01 | Pass |
| Fenhexamid | 0.007/0.02 | ND | 0.02 | Pass |
| Fenoxycarb | 0.003/0.01 | ND | 0.01 | Pass |
| Fenpyroximate | 0.007/0.02 | ND | 0.02 | Pass |
| Fipronil | 0.003/0.01 | ND | 0.01 | Pass |



This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB - Certificate Number AT-1551. Based upon the analytes and limits set forth in this monograph, the batch does not contain contaminants unsafe for human consumption.

| Analyte | LOD/LOQ (ppm) | Findings (ppm) | Limit (ppm) | Status |
|---|---|---|---|---|
| Flonicamid | 0.003/0.01 | ND | 0.01 | Pass |
| Fludioxonil | 0.003/0.01 | ND | 0.01 | Pass |
| Hexythiazox | 0.003/0.01 | ND | 0.01 | Pass |
| Imazalil | 0.003/0.01 | ND | 0.01 | Pass |
| Imidacloprid | 0.003/0.01 | ND | 0.01 | Pass |
| Kresoxim Methyl | 0.003/0.01 | ND | 0.01 | Pass |
| Malathion | 0.003/0.01 | ND | 0.01 | Pass |
| Metalaxyl | 0.003/0.01 | ND | 0.01 | Pass |
| Methiocarb | 0.003/0.01 | ND | 0.01 | Pass |
| Methomyl | 0.003/0.01 | ND | 0.01 | Pass |
| Methyl parathion | 0.003/0.01 | ND | 0.01 | Pass |
| Mevinphos | 0.007/0.02 | ND | 0.02 | Pass |
| Myclobutanil | 0.003/0.01 | ND | 0.01 | Pass |
| Naled | 0.003/0.01 | ND | 0.01 | Pass |
| Oxamyl | 0.003/0.01 | ND | 0.01 | Pass |
| Paclobutrazol | 0.003/0.01 | ND | 0.01 | Pass |
| Pentachloronitrobenzene | 0.003/0.01 | ND | 0.01 | Pass |
| Permethrins | 0.015/0.05 | ND | 0.05 | Pass |
| Phosmet | 0.003/0.01 | ND | 0.01 | Pass |
| Piperonyl Butoxide | 0.003/0.01 | ND | 0.01 | Pass |
| Prallethrin | 0.015/0.05 | ND | 0.05 | Pass |
| Propiconazole | 0.003/0.01 | ND | 0.01 | Pass |
| Propoxur | 0.003/0.01 | ND | 0.01 | Pass |
| Pyrethrins | 0.015/0.05 | ND | 0.05 | Pass |
| Pyridaben | 0.003/0.01 | ND | 0.01 | Pass |
| Spinetoram | 0.003/0.01 | ND | 0.01 | Pass |
| Spinosad | 0.003/0.01 | ND | 0.01 | Pass |
| Spiromesifen | 0.003/0.01 | ND | 0.01 | Pass |
| Spirotetramat | 0.003/0.01 | ND | 0.01 | Pass |
| Spiroxamine | 0.003/0.01 | ND | 0.01 | Pass |
| Tebuconazole | 0.003/0.01 | ND | 0.01 | Pass |
| Thiacloprid | 0.003/0.01 | ND | 0.01 | Pass |
| Thiamethoxam | 0.003/0.01 | ND | 0.01 | Pass |
| Trifloxystrobin | 0.003/0.01 | ND | 0.01 | Pass |
| Azadirachtin | 0.100/0.30 | ND | 0.3 | Pass |
| Chlormequat Chloride | 0.03/0.10 | ND | 0.1 | Pass |
| MGK 264 | 0.03/0.10 | ND | 0.1 | Pass |



This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB - Certificate Number AT-1551. Based upon the analytes and limits set forth in this monograph, the batch does not contain contaminants unsafe for human consumption.

## Residual Solvent Screen ✔ Pass

*05/20/2026*

**Method:** MF-CHEM-32

**Measurement of Uncertainty Average:** ±1.43%

| Analyte | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Status |
|---|---|---|---|---|
| Propane | 67/200 | ND | 210 | Pass |
| (+/-)-2-Butanol | 13.3/40 | ND | 5000 | Pass |
| 1,1-Dichloroethene | 2/4 | ND | 8 | Pass |
| 1,2-Dichloroethane | 0.2/0.5 | ND | 5 | Pass |
| 1,4-Dioxane | 13.3/40 | ND | 30 | Pass |
| 2-Ethoxyethanol | 13.3/40 | ND | 160 | Pass |
| Acetone | 67/200 | <LOD | 500 | Pass |
| Acetonitrile | 67/200 | ND | 410 | Pass |
| Benzene | 0.2/0.5 | ND | 1 | Pass |
| Chloroform | 0.2/0.5 | ND | 2 | Pass |
| Cumene | 13.3/40 | ND | 70 | Pass |
| Cyclohexane | 13.3/40 | ND | 3880 | Pass |
| Ethanol | 67/200 | 1171.00 | 5000 | Pass |
| Ethyl acetate | 67/200 | ND | 1000 | Pass |
| Ethyl ether | 67/200 | ND | 5000 | Pass |
| Ethylene Glycol | 13.3/40 | ND | 620 | Pass |
| Ethylene oxide | 0.2/0.5 | ND | 5 | Pass |
| n-Heptane | 67/200 | ND | 500 | Pass |
| Isopropyl Acetate | 13.3/40 | ND | 5000 | Pass |
| Isopropyl alcohol | 67/200 | ND | 500 | Pass |
| Methanol | 67/200 | ND | 500 | Pass |
| Methylene chloride | 0.2/0.5 | ND | 600 | Pass |
| Toluene | 67/200 | ND | 53 | Pass |
| Tetrahydrofuran | 13.3/40 | ND | 720 | Pass |
| Trichloroethene | 13.3/40 | ND | 80 | Pass |
| Isobutane | 6.7/20 | ND | - | See Total Butanes |
| n-Butane | 67/200 | ND | - | See Total Butanes |
| Total Butanes | 6.7/40 | ND | 500 | Pass |
| 2,2-Dimethylbutane | 2.7/8 | ND | - | See Total Hexanes |
| 2,3-Dimethylbutane | 2.7/8 | ND | - | See Total Hexanes |
| 2-Methylpentane | 2.7/8 | ND | - | Pass |
| 3-Methylpentane | 2.7/8 | ND | - | Pass |
| n-Hexane | 67/200 | ND | - | See Total Hexanes |
| Total Hexanes | 2.7/8 | ND | 18 | Pass |
| 2 Methylbutane | 4.4/13.34 | ND | - | See Total Pentanes |
| Neopentane | 4.4/13.34 | ND | - | See Total Pentanes |
| n-Pentane | 67/200 | ND | - | See Total Pentanes |
| Total Pentanes | 4.4/13.34 | ND | 500 | Pass |
| Ethylbenzene | 3.3/10 | ND | - | See Total Xylenes |
| m+p-Xylene | 6.7/20 | ND | - | See Total Xylenes |
| o-Xylene | 3.3/10 | ND | - | See Total Xylenes |
| Total Xylenes | 67/200 | ND | 217 | Pass |

## Heavy Metal Screen ✔ Pass

*05/20/2026*

**Method:** MF-CHEM-16

**Instrument:** Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

**Measurement of Uncertainty Average:** ±4.4%

| Analyte | LOD / LOQ (µg/g) | Findings (µg/g) | Limit | Status |
|---|---|---|---|---|
| Arsenic | 0.033/0.101 | ND | 0.2 | Pass |
| Cadmium | 0.047/0.141 | ND | 0.2 | Pass |
| Mercury | 0.014/0.05 | ND | 0.1 | Pass |
| Lead | 0.107/0.324 | ND | 0.5 | Pass |

## Foreign Material ✔ Pass

*05/20/2026*

**Method:** MF-CHEM-7

| Analyte | Findings | Limit | Status |
|---|---|---|---|
| Sand, Soils, Cinders, and Dirt | ND | 25% | Pass |
| Mold | ND | 25% | Pass |
| Imbedded Foreign Material | ND | 25% | Pass |
| Insect Fragment | ND | 1 per 3g | Pass |
| Hair | ND | 1 per 3g | Pass |
| Mammalian Excreta | ND | 1 per 3g | Pass |



This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB - Certificate Number AT-1551. Based upon the analytes and limits set forth in this monograph, the batch does not contain contaminants unsafe for human consumption.

anresco LABORATORIES since 1943

# Certificate of Analysis

## Mycotoxin Screen ✔ Pass

*05/20/2026*

**Method:** MF-CHEM-13

**Instrument:** Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

**Measurement of Uncertainty (MU):** ±20.21%

| Analyte | LOD/LOQ (ppb) | Findings (ppb) | Limit (ppb) | Status |
|---|---|---|---|---|
| Aflatoxin B1 | 2/5 | ND | 5 | Pass |
| Aflatoxin B2 | 2/5 | ND | 20 | Pass |
| Aflatoxin G1 | 2/5 | ND | 20 | Pass |
| Aflatoxin G2 | 2/5 | ND | 20 | Pass |
| Total Aflatoxins | 8/20 | ND | 20 | Pass |
| Ochratoxin A | 2/5 | ND | 5 | Pass |

**Product Ingredients:** Carbonated Water, Allulose, Cane Sugar, Natural Flavors, Citric Acid, Hemp Extract, Sodium Benzoate, Potassium Sorbate, Sodium Citrate, Ascorbic Acid, L-Theanine, Fruit and Vegetable Juice.

ND = None Detected
LOD = Limit of Detection
LOQ = Limit of Quantitation

**Reported by**

Vu Lam
Lab Co Director

**Scan to verify**



This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB - Certificate Number AT-1551. Based upon the analytes and limits set forth in this monograph, the batch does not contain contaminants unsafe for human consumption.

# Certificate of Analysis

**Universal Hemp Panel**

## ANALYZED BY:

Anresco Laboratories
1375 Van Dyke Avenue,
San Francisco, CA 94124
DEA# PA0202945

## CUSTOMER:

Radix Labs, Inc. dba FindWunder
2201 Broadway FL 4
Oakland 94612
.

## MANUFACTURER:

Surly Brewing Company
4811 Dusharme Dr
Brooklyn Center 55429
FDA: 13566238728
13762318736
LPMFR-A25-000046

## SAMPLE INFORMATION

**Sample No.:** 1411255
**Product Name:** Find Wunder: Higher Vibes Blood Orange Bitters
**Matrix:** Edible (Carbonated Beverage)
**Lot #:** WSUHVBB-050826A

**Production Date:** 05/12/2026
**Date Collected:** 05/13/2026
**Date Received:** 05/13/2026
**Date Reported:** 05/19/2026
**Expiration Date:** 05/12/2027

## TEST SUMMARY

| | | | |
|---|---|---|---|
| **Cannabinoid Profile:** | Tested | **Microbiological Screen:** | Pass |
| **Pesticide Residue Screen:** | Pass | **Residual Solvent Screen:** | Pass |
| **Heavy Metal Screen:** | Pass | **Foreign Material:** | Pass |
| **Mycotoxin Screen:** | Pass | | |

**Customer Comment(s):** The batch was processed in a facility that holds a current and valid permit issued by a human health or food safety regulatory entity with authority over the facility, and that facility meets the human health or food safety sanitization requirements of the regulatory entity.

## Cannabinoid Profile Tested

*05/15/2026*

**Method:** MF-CHEM-15
**Instrument:** Liquid Chromatography Diode Array Detector (LC-DAD)
**Limit of Detection** 0.0008 mg/g
**Limit of Quantitation** 0.0025 mg/g
**Measurement of Uncertainty Average:** ±6.3%

| Cannabinoid | mg/g | % | mg/ml | mg/serving | mg/package | Labeled mg/serving | % Difference |
|---|---|---|---|---|---|---|---|
| Δ8-THC | ND | ND | ND | ND | ND | - | - |
| Δ9-THC | 0.0296 | 0.00296 | 0.0303 | 10.75 | 10.75 | 10 | 7.53 |
| Δ9-THCA | ND | ND | ND | ND | ND | - | - |
| THCV | ND | ND | ND | ND | ND | - | - |
| THCVA | ND | ND | ND | ND | ND | - | - |
| CBD | ND | ND | ND | ND | ND | - | - |
| CBDA | ND | ND | ND | ND | ND | - | - |
| CBC | ND | ND | ND | ND | ND | - | - |
| CBCA | ND | ND | ND | ND | ND | - | - |
| CBDV | ND | ND | ND | ND | ND | - | - |
| CBG | 0.0301 | 0.00301 | 0.0308 | 10.93 | 10.93 | 10 | 9.35 |
| CBGA | ND | ND | ND | ND | ND | - | - |
| CBN | ND | ND | ND | ND | ND | - | - |
| Exo-THC | ND | ND | ND | ND | ND | - | - |
| (6aR,9R)-Δ10-THC | ND | ND | ND | ND | ND | - | - |
| (6aR,9S)-Δ10-THC | ND | ND | ND | ND | ND | - | - |
| 9(R)-Hexahydrocannabinol | ND | ND | ND | ND | ND | - | - |
| 9(S)-Hexahydrocannabinol | ND | ND | ND | ND | ND | - | - |
| Δ8-THC-O-Acetate | ND | ND | ND | ND | ND | - | - |
| Δ9-THC-O-Acetate | ND | ND | ND | ND | ND | - | - |
| THC-O-Phosphate | NT | NT | NT | NT | NT | - | - |
| Δ8-THCP | ND | ND | ND | ND | ND | - | - |
| Δ9-THCP | ND | ND | ND | ND | ND | - | - |
| Total Δ9-THC | 0.0296 | 0.00296 | 0.0303 | 10.75 | 10.75 | - | - |
| Total THC | 0.0296 | 0.00296 | 0.0303 | 10.75 | 10.75 | - | - |
| Total CBD | ND | ND | ND | ND | ND | - | - |
| Total Cannabinoids | 0.0597 | 0.00597 | 0.0611 | 21.69 | 21.69 | - | - |



This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB - Certificate Number AT-1551. Based upon the analytes and limits set forth in this monograph, the batch does not contain contaminants unsafe for human consumption.

| Cannabinoid | mg/g | % | mg/ml | mg/serving | mg/package | Labeled mg/serving | % Difference |
|---|---|---|---|---|---|---|---|
| Sum of Cannabinoids | 0.0597 | 0.00597 | 0.0611 | 21.69 | 21.69 | - | - |
| **Serving Weight (g)** | 363.2715 | | | | | | |
| **Package Weight (g)** | 363.2715 | | | | | | |
| **g/ml Conversion Factor** | 1.0233 | | | | | | |

Total Δ9-THC = Δ9-THC + (0.877 * THCA)
Total THC = Δ8-THC + Δ9-THC + (0.877 * THCA)
Total CBD = CBD + (0.877 * CBDA)
Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 * Σ (acidic cannabinoids)]

## Microbiological Screen ✔ Pass

*05/18/2026*

**Measurement of Uncertainty Average:** APC ±35.6%, Y&M ±31.3%

| Analyte | Findings | Units | Method | Limit | Status |
|---|---|---|---|---|---|
| Salmonella | ND | /25g | AOAC 2016.01 | ND | Pass |
| STEC | ND | /25g | MF-MICRO-18 | ND | Pass |
| Aspergillus flavus | ND | /25g | MF-MICRO-14 | ND | Pass |
| Aspergillus fumigatus | ND | /25g | MF-MICRO-14 | ND | Pass |
| Aspergillus niger | ND | /25g | MF-MICRO-14 | ND | Pass |
| Aspergillus terreus | ND | /25g | MF-MICRO-14 | ND | Pass |
| Listeria Species | ND | /25g | AOAC 2016.07 | ND | Pass |
| Total Aerobic Plate Count | 0/10 | cfu/g | FDA BAM | 100000 | Pass |
| Total Coliforms | 0/10 | cfu/g | FDA BAM - ECC Agar | 100 | Pass |
| E. Coli | ND | /1g | FDA BAM Modified | ND | Pass |
| Total Enterobacteriaceae | <1 | cfu/g | AOAC 2003.01 | ND | Pass |
| Staphylococcus aureus | <1 | cfu/g | AOAC 2003.07 | ND | Pass |
| Total Yeast and Mold | 0/10 | cfu/g | FDA BAM | 10000 | Pass |

## Pesticide Residue Screen ✔ Pass

*05/19/2026*

**Method:** MF-CHEM-13

**Instrument:** Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

**Measurement of Uncertainty Average:** ±21.40%

| Analyte | LOD/LOQ (ppm) | Findings (ppm) | Limit (ppm) | Status |
|---|---|---|---|---|
| Abamectin | 0.015/0.05 | ND | 0.05 | Pass |
| Acephate | 0.003/0.01 | ND | 0.01 | Pass |
| Acequinocyl | 0.003/0.01 | ND | 0.01 | Pass |
| Acetamiprid | 0.003/0.01 | ND | 0.01 | Pass |
| Aldicarb | 0.003/0.01 | ND | 0.01 | Pass |
| Azoxystrobin | 0.003/0.01 | ND | 0.01 | Pass |
| Bifenazate | 0.003/0.01 | ND | 0.01 | Pass |
| Bifenthrin | 0.003/0.01 | ND | 0.01 | Pass |
| Boscalid | 0.003/0.01 | ND | 0.01 | Pass |
| Captan | 0.250/0.7 | ND | 0.7 | Pass |
| Carbaryl | 0.003/0.01 | ND | 0.01 | Pass |
| Carbofuran | 0.003/0.01 | ND | 0.01 | Pass |
| Chlorantraniliprole | 0.003/0.01 | ND | 0.01 | Pass |
| Chlordane | 0.020/0.06 | ND | 0.06 | Pass |
| Chlorfenapyr | 0.015/0.05 | ND | 0.05 | Pass |
| Chlorpyrifos | 0.003/0.01 | ND | 0.01 | Pass |
| Clofentezine | 0.003/0.01 | ND | 0.01 | Pass |
| Coumaphos | 0.003/0.01 | ND | 0.01 | Pass |
| Cyfluthrin | 0.015/0.05 | ND | 0.05 | Pass |
| Cypermethrin | 0.015/0.05 | ND | 0.05 | Pass |
| Daminozide | 0.003/0.01 | ND | 0.01 | Pass |
| DDVP (Dichlorvos) | 0.003/0.01 | ND | 0.01 | Pass |
| Diazinon | 0.003/0.01 | ND | 0.01 | Pass |
| Dimethoate | 0.003/0.01 | ND | 0.01 | Pass |
| Dimethomorph | 0.003/0.01 | ND | 0.01 | Pass |
| Ethoprop(hos) | 0.003/0.01 | ND | 0.01 | Pass |
| Etofenprox | 0.003/0.01 | ND | 0.01 | Pass |
| Etoxazole | 0.003/0.01 | ND | 0.01 | Pass |
| Fenhexamid | 0.007/0.02 | ND | 0.02 | Pass |
| Fenoxycarb | 0.003/0.01 | ND | 0.01 | Pass |
| Fenpyroximate | 0.007/0.02 | ND | 0.02 | Pass |
| Fipronil | 0.003/0.01 | ND | 0.01 | Pass |



This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB - Certificate Number AT-1551. Based upon the analytes and limits set forth in this monograph, the batch does not contain contaminants unsafe for human consumption.

| Analyte | LOD/LOQ (ppm) | Findings (ppm) | Limit (ppm) | Status |
|---|---|---|---|---|
| Flonicamid | 0.003/0.01 | ND | 0.01 | Pass |
| Fludioxonil | 0.003/0.01 | ND | 0.01 | Pass |
| Hexythiazox | 0.003/0.01 | ND | 0.01 | Pass |
| Imazalil | 0.003/0.01 | ND | 0.01 | Pass |
| Imidacloprid | 0.003/0.01 | ND | 0.01 | Pass |
| Kresoxim Methyl | 0.003/0.01 | ND | 0.01 | Pass |
| Malathion | 0.003/0.01 | ND | 0.01 | Pass |
| Metalaxyl | 0.003/0.01 | ND | 0.01 | Pass |
| Methiocarb | 0.003/0.01 | ND | 0.01 | Pass |
| Methomyl | 0.003/0.01 | ND | 0.01 | Pass |
| Methyl parathion | 0.003/0.01 | ND | 0.01 | Pass |
| Mevinphos | 0.007/0.02 | ND | 0.02 | Pass |
| Myclobutanil | 0.003/0.01 | ND | 0.01 | Pass |
| Naled | 0.003/0.01 | ND | 0.01 | Pass |
| Oxamyl | 0.003/0.01 | ND | 0.01 | Pass |
| Paclobutrazol | 0.003/0.01 | ND | 0.01 | Pass |
| Pentachloronitrobenzene | 0.003/0.01 | ND | 0.01 | Pass |
| Permethrins | 0.015/0.05 | ND | 0.05 | Pass |
| Phosmet | 0.003/0.01 | ND | 0.01 | Pass |
| Piperonyl Butoxide | 0.003/0.01 | ND | 0.01 | Pass |
| Prallethrin | 0.015/0.05 | ND | 0.05 | Pass |
| Propiconazole | 0.003/0.01 | ND | 0.01 | Pass |
| Propoxur | 0.003/0.01 | ND | 0.01 | Pass |
| Pyrethrins | 0.015/0.05 | ND | 0.05 | Pass |
| Pyridaben | 0.003/0.01 | ND | 0.01 | Pass |
| Spinetoram | 0.003/0.01 | ND | 0.01 | Pass |
| Spinosad | 0.003/0.01 | ND | 0.01 | Pass |
| Spiromesifen | 0.003/0.01 | ND | 0.01 | Pass |
| Spirotetramat | 0.003/0.01 | ND | 0.01 | Pass |
| Spiroxamine | 0.003/0.01 | ND | 0.01 | Pass |
| Tebuconazole | 0.003/0.01 | ND | 0.01 | Pass |
| Thiacloprid | 0.003/0.01 | ND | 0.01 | Pass |
| Thiamethoxam | 0.003/0.01 | ND | 0.01 | Pass |
| Trifloxystrobin | 0.003/0.01 | ND | 0.01 | Pass |
| Azadirachtin | 0.100/0.30 | ND | 0.3 | Pass |
| Chlormequat Chloride | 0.03/0.10 | ND | 0.1 | Pass |
| MGK 264 | 0.03/0.10 | ND | 0.1 | Pass |



This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB - Certificate Number AT-1551. Based upon the analytes and limits set forth in this monograph, the batch does not contain contaminants unsafe for human consumption.

## Residual Solvent Screen ✔ Pass

*05/19/2026*

**Method:** MF-CHEM-32

**Measurement of Uncertainty Average:** ±1.43%

| Analyte | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Status |
|---|---|---|---|---|
| Propane | 67/200 | ND | 210 | Pass |
| (+/-)-2-Butanol | 13.3/40 | ND | 5000 | Pass |
| 1,1-Dichloroethene | 2/4 | ND | 8 | Pass |
| 1,2-Dichloroethane | 0.2/0.5 | ND | 5 | Pass |
| 1,4-Dioxane | 13.3/40 | ND | 30 | Pass |
| 2-Ethoxyethanol | 13.3/40 | ND | 160 | Pass |
| Acetone | 67/200 | ND | 500 | Pass |
| Acetonitrile | 67/200 | ND | 410 | Pass |
| Benzene | 0.2/0.5 | ND | 1 | Pass |
| Chloroform | 0.2/0.5 | ND | 2 | Pass |
| Cumene | 13.3/40 | ND | 70 | Pass |
| Cyclohexane | 13.3/40 | ND | 3880 | Pass |
| Ethanol | 67/200 | ND | 5000 | Pass |
| Ethyl acetate | 67/200 | ND | 1000 | Pass |
| Ethyl ether | 67/200 | ND | 5000 | Pass |
| Ethylene Glycol | 13.3/40 | ND | 620 | Pass |
| Ethylene oxide | 0.2/0.5 | ND | 5 | Pass |
| n-Heptane | 67/200 | ND | 500 | Pass |
| Isopropyl Acetate | 13.3/40 | ND | 5000 | Pass |
| Isopropyl alcohol | 67/200 | ND | 500 | Pass |
| Methanol | 67/200 | ND | 500 | Pass |
| Methylene chloride | 0.2/0.5 | ND | 600 | Pass |
| Toluene | 67/200 | ND | 53 | Pass |
| Tetrahydrofuran | 13.3/40 | ND | 720 | Pass |
| Trichloroethene | 13.3/40 | ND | 80 | Pass |
| Isobutane | 6.7/20 | ND | - | See Total Butanes |
| n-Butane | 67/200 | ND | - | See Total Butanes |
| Total Butanes | 6.7/40 | ND | 500 | Pass |
| 2,2-Dimethylbutane | 2.7/8 | ND | - | See Total Hexanes |
| 2,3-Dimethylbutane | 2.7/8 | ND | - | See Total Hexanes |
| 2-Methylpentane | 2.7/8 | ND | - | Pass |
| 3-Methylpentane | 2.7/8 | ND | - | Pass |
| n-Hexane | 67/200 | ND | - | See Total Hexanes |
| Total Hexanes | 2.7/8 | ND | 18 | Pass |
| 2 Methylbutane | 4.4/13.34 | ND | - | See Total Pentanes |
| Neopentane | 4.4/13.34 | ND | - | See Total Pentanes |
| n-Pentane | 67/200 | ND | - | See Total Pentanes |
| Total Pentanes | 4.4/13.34 | ND | 500 | Pass |
| Ethylbenzene | 3.3/10 | ND | - | See Total Xylenes |
| m+p-Xylene | 6.7/20 | ND | - | See Total Xylenes |
| o-Xylene | 3.3/10 | ND | - | See Total Xylenes |
| Total Xylenes | 67/200 | ND | 217 | Pass |

## Heavy Metal Screen ✔ Pass

*05/19/2026*

**Method:** MF-CHEM-16

**Instrument:** Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

**Measurement of Uncertainty Average:** ±4.4%

| Analyte | LOD / LOQ (µg/g) | Findings (µg/g) | Limit | Status |
|---|---|---|---|---|
| Arsenic | 0.033/0.101 | ND | 0.2 | Pass |
| Cadmium | 0.047/0.141 | ND | 0.2 | Pass |
| Mercury | 0.014/0.05 | ND | 0.1 | Pass |
| Lead | 0.107/0.324 | ND | 0.5 | Pass |

## Foreign Material ✔ Pass

*05/19/2026*

**Method:** MF-CHEM-7

| Analyte | Findings | Limit | Status |
|---|---|---|---|
| Sand, Soils, Cinders, and Dirt | ND | 25% | Pass |
| Mold | ND | 25% | Pass |
| Imbedded Foreign Material | ND | 25% | Pass |
| Insect Fragment | ND | 1 per 3g | Pass |
| Hair | ND | 1 per 3g | Pass |
| Mammalian Excreta | ND | 1 per 3g | Pass |



This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB - Certificate Number AT-1551. Based upon the analytes and limits set forth in this monograph, the batch does not contain contaminants unsafe for human consumption.

anresco LABORATORIES since 1943

# Certificate of Analysis

## Mycotoxin Screen ✔ Pass

*05/19/2026*

**Method:** MF-CHEM-13

**Instrument:** Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

**Measurement of Uncertainty (MU):** ±20.21%

| Analyte | LOD/LOQ (ppb) | Findings (ppb) | Limit (ppb) | Status |
|---|---|---|---|---|
| Aflatoxin B1 | 2/5 | ND | 5 | Pass |
| Aflatoxin B2 | 2/5 | ND | 20 | Pass |
| Aflatoxin G1 | 2/5 | ND | 20 | Pass |
| Aflatoxin G2 | 2/5 | ND | 20 | Pass |
| Total Aflatoxins | 8/20 | ND | 20 | Pass |
| Ochratoxin A | 2/5 | ND | 5 | Pass |

**Product Ingredients:** Carbonated Water, Allulose, Cane Sugar, Citric Acid, Natural Flavors, Hemp Extract Fruit and Vegetable Juice, Sodium Citrate, Sodium Benzoate, Potassium Sorbate, Ascorbic Acid, L-Theanine

ND = None Detected
LOD = Limit of Detection
LOQ = Limit of Quantitation

**Reported by**

Vu Lam
Lab Co Director

**Scan to verify**




This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB - Certificate Number AT-1551. Based upon the analytes and limits set forth in this monograph, the batch does not contain contaminants unsafe for human consumption.