New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

Little Rick Raspberry Coconut 25mg

Sample ID: 2607NBL1238.3393
Matrix: Ingestible
Type: Beverage
Sample Size:
Date Collected:

Received: 07/14/2026
Completed: 07/24/2026
Expires: 07/24/2027
External Lot ID: LRRCD925LOT08
Batch#: LRRCD925LOT08

Client
Upstate Beverage Consultants
Lic. # SC000206-20260113
6 Whitlee Court Greenville, SC 29607
(864) 434-9011 billy@upstatebev.co

Summary

Test	Date Tested	Result
Cannabinoids	07/17/2026	Complete
Residual Solvents	07/21/2026	Complete
Microbials	07/15/2026	Complete
Mycotoxins	07/23/2026	Complete
Pesticides	07/23/2026	Complete
Heavy Metals	07/22/2026	Complete
Foreign Matter	07/14/2026	Not Detected

Cannabinoids

Complete

27.808 mg/unit	0.0078%	26.301 mg/unit	54.109 mg/unit
Total Δ9-THC	Δ9-THC	Total CBD	Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Result
	mg/unit	mg/unit	mg/unit	mg/mL	%
(6aR,9R)-d10-THC	0.8965	1.345	ND	ND	ND
9R-HHC	0.8965	1.345	ND	ND	ND
(6aR,9S)-d10-THC	0.8965	1.345	ND	ND	ND
9S-HHC	0.8965	1.345	ND	ND	ND
CBC	0.8965	1.345	ND	ND	ND
CBCa	0.8965	1.345	ND	ND	ND
CBD	0.8965	1.345	26.301	0.07430	0.007
CBDa	0.8965	1.345	ND	ND	ND
CBDV	0.8965	1.345	ND	ND	ND
CBDVa	0.8965	1.345	ND	ND	ND
CBG	0.8965	1.345	ND	ND	ND
CBGa	0.8965	1.345	ND	ND	ND
CBN	0.8965	1.345	ND	ND	ND
CBNa	0.8965	1.345	ND	ND	ND
Δ8-THC	0.8965	1.345	ND	ND	ND
Δ9-THC	0.8965	1.345	27.808	0.07855	0.008
THCa	0.8965	1.345	ND	ND	ND
THCp	0.8965	1.345	ND	ND	ND
THCV	0.8965	1.345	ND	ND	ND
THCVa	0.8965	1.345	ND	ND	ND
Total THC			**27.808**	**0.07855**	**0.008**
Total CBD			**26.301**	**0.07430**	**0.007**
Total			**54.109**	**0.15285**	**0.015**

Date Tested: 07/17/2026
Density: 1 mL = 1.013 g, Unit Mass: 358.602 g, 1 Unit = 12 fl oz
Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.
Total Δ9-THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; The decision rule is employed; the uncertainty measurement is not included in the reported result. The values for Measurement Uncertainty are available upon request.

Ashley Phillips
Laboratory Director
07/24/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.

Little Rick Raspberry Coconut 25mg

Sample ID: 2607NBL1238.3393
Matrix: Ingestible
Type: Beverage
Sample Size:
Date Collected:

Received: 07/14/2026
Completed: 07/24/2026
Expires: 07/24/2027
External Lot ID: LRRCD925LOT08
Batch#: LRRCD925LOT08

Client
Upstate Beverage Consultants
Lic. # SC000206-20260113
6 Whitlee Court Greenville, SC 29607
(864) 434-9011 billy@upstatebev.co

Pesticides

Complete

Analyte	LOQ	LOD	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Abamectin	0.097	0.028		ND	Tested
Acephate	0.094	0.028		ND	Tested
Acequinocyl	0.094	0.028		ND	Tested
Acetamiprid	0.094	0.028		ND	Tested
Aldicarb	0.094	0.028		ND	Tested
Azoxystrobin	0.094	0.028		ND	Tested
Bifenazate	0.094	0.028		ND	Tested
Bifenthrin	0.094	0.028		ND	Tested
Boscalid	0.094	0.028		ND	Tested
Captan	0.375	0.112		ND	Tested
Carbaryl	0.094	0.028		ND	Tested
Carbofuran	0.094	0.028		ND	Tested
Chlorantraniliprole	0.094	0.028		ND	Tested
Chlordane	0.075	0.022		ND	Tested
Chlorfenapyr	0.075	0.022		ND	Tested
Chlormequat	0.094	0.028		ND	Tested
Chlorpyrifos	0.094	0.028		ND	Tested
Clofentezine	0.094	0.028		ND	Tested
Coumaphos	0.094	0.028		ND	Tested
Cyfluthrin	0.075	0.022		ND	Tested
Cypermethrin	0.075	0.022		ND	Tested
Daminozide	0.094	0.028		ND	Tested
Diazinon	0.094	0.028		ND	Tested
Dichlorvos	0.047	0.015		ND	Tested
Dimethoate	0.094	0.028		ND	Tested
Dimethomorph	0.090	0.028		ND	Tested
Ethoprophos	0.094	0.028		ND	Tested
Etofenprox	0.094	0.028		ND	Tested
Etoxazole	0.094	0.028		ND	Tested
Fenhexamid	0.094	0.028		ND	Tested
Fenoxycarb	0.094	0.028		ND	Tested
Fenpyroximate	0.094	0.028		ND	Tested
Fipronil	0.094	0.028		ND	Tested
Flonicamid	0.094	0.028		ND	Tested

Analyte	LOQ	LOD	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Fludioxonil	0.094	0.028		ND	Tested
Hexythiazox	0.094	0.028		ND	Tested
Imazalil	0.094	0.028		ND	Tested
Imidacloprid	0.094	0.028		ND	Tested
Kresoxim Methyl	0.094	0.028		ND	Tested
Malathion	0.094	0.028		ND	Tested
Metalaxyl	0.094	0.028		ND	Tested
Methiocarb	0.094	0.028		ND	Tested
Methomyl	0.094	0.028		ND	Tested
Mevinphos	0.094	0.028		ND	Tested
Myclobutanil	0.094	0.028		ND	Tested
Naled	0.234	0.071		ND	Tested
Oxamyl	0.094	0.028		ND	Tested
Paclobutrazol	0.094	0.028		ND	Tested
Methyl Parathion	0.075	0.022		ND	Tested
Pentachloronitrobenzene	0.075	0.022		ND	Tested
Permethrins	0.094	0.028		ND	Tested
Phosmet	0.094	0.028		ND	Tested
Piperonyl Butoxide	0.094	0.028		ND	Tested
Prallethrin	0.094	0.028		ND	Tested
Propiconazole	0.094	0.028		ND	Tested
Propoxur	0.094	0.028		ND	Tested
Pyrethrins	0.468	0.140		ND	Tested
Pyridaben	0.094	0.028		ND	Tested
Spinetoram	0.094	0.028		ND	Tested
Spinosad	0.096	0.028		ND	Tested
Spiromesifen	0.094	0.028		ND	Tested
Spirotetramat	0.094	0.028		ND	Tested
Spiroxamine	0.094	0.028		ND	Tested
Tebuconazole	0.094	0.028		ND	Tested
Thiacloprid	0.094	0.028		ND	Tested
Thiamethoxam	0.094	0.028		ND	Tested
Trifloxystrobin	0.094	0.028		ND	Tested

Date Tested: 07/23/2026
Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020. Testing Method: GC/MS/MS, CON-P-12000; Validation Date: 05/2025.

Ashley Phillips
Laboratory Director
07/24/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.

Little Rick Raspberry Coconut 25mg

Sample ID: 2607NBL1238.3393
Matrix: Ingestible
Type: Beverage
Sample Size:
Date Collected:

Received: 07/14/2026
Completed: 07/24/2026
Expires: 07/24/2027
External Lot ID: LRRCD925LOT08
Batch#: LRRCD925LOT08

Client
Upstate Beverage Consultants
Lic. # SC000206-20260113
6 Whitlee Court Greenville, SC 29607
(864) 434-9011 billy@upstatebev.co

Microbials

Complete

Analyte	LOD	Result	Status
	CFU/g		
Shiga Toxin-producing E. Coli	1.000	ND	Tested
Salmonella	1.000	ND	Tested
Aspergillus spp. (A. flavus, A. fumigatus, A. terreus, A. niger)	1.000	ND	Tested

Testing Method: qPCR, CON-P-6000; Validation Date: 01/2021.

Analyte	LOD	Result	Status
	CFU/g	CFU/g	
Aerobic Bacteria	10	ND	Tested
Enterobacteriaceae (BTGN)	10	ND	Tested
Coliforms	10	ND	Tested
Yeast & Mold	10	ND	Tested
E. Coli	10	ND	Tested

Testing Method: Petrifilms, CON-P-9000; Validation Date: 12/2021.

Date Tested: 07/15/2026
CFU = Colony Forming Units, Cq = Quantification Cycle, ND = Not Detected, LOD = Limit of Detection, ND = Not Detected

Mycotoxins

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
B1	1.5	4.7		ND	Tested
B2	1.5	4.7		ND	Tested
G1	1.5	4.7		ND	Tested
G2	1.5	4.7		ND	Tested
Total Aflatoxins	1.5	4.7		ND	Tested
Ochratoxin A	5.6	18.7		ND	Tested

Date Tested: 07/23/2026
Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020.

Heavy Metals

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Arsenic	0.047	0.094		ND	Tested
Cadmium	0.047	0.094		ND	Tested
Lead	0.047	0.094		ND	Tested
Mercury	0.047	0.094		ND	Tested
Palladium	0.047	0.236		ND	Tested
Selenium	0.047	0.094		ND	Tested

Date Tested: 07/22/2026
Testing Method: ICP/MS, CON-P-7000; Validation Date: 09/2020.

Ashley Phillips
Laboratory Director
07/24/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.

Little Rick Raspberry Coconut 25mg

Sample ID: 2607NBL1238.3393
Matrix: Ingestible
Type: Beverage
Sample Size:
Date Collected:

Received: 07/14/2026
Completed: 07/24/2026
Expires: 07/24/2027
External Lot ID: LRRCD925LOT08
Batch#: LRRCD925LOT08

Client
Upstate Beverage Consultants
Lic. # SC000206-20260113
6 Whitlee Court Greenville, SC 29607
(864) 434-9011 billy@upstatebev.co

Residual Solvents

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Acetone	75.000	250.000		ND	Tested
Benzene	0.300	1.000		ND	Tested
n-Butane	69.000	230.000		ND	Tested
Isobutane	69.000	230.000		ND	Tested
Ethanol	75.000	250.000		ND	Tested
Ethyl Acetate	75.000	250.000		ND	Tested
Heptane	75.000	250.000		ND	Tested
n-Hexane	1.500	5.000		ND	Tested
2,2-Dimethylbutane	1.500	5.000		ND	Tested
3-Methylpentane	1.500	5.000		ND	Tested
2-Methylpentane/2,3-Dimethylbutane	3.000	10.000		ND	Tested
Methanol	30.000	100.000		ND	Tested
Isopentane	69.000	230.000		ND	Tested
n-Pentane	30.000	100.000		ND	Tested
Neopentane	69.000	230.000		ND	Tested
2-Propanol	75.000	250.000		ND	Tested
Propane	300.000	1000.000		ND	Tested
Toluene	0.150	0.500		ND	Tested
Ethylbenzene	0.150	0.500		ND	Tested
m/p-Xylene	0.150	0.500		ND	Tested
o-Xylene	0.150	0.500		ND	Tested
1,1-Dichloroethene	0.600	2.000		ND	Tested
1,2-Dichloroethane	0.600	2.000		ND	Tested
Ethylene Oxide	1.500	5.000		ND	Tested
Acetonitrile	6.000	20.000		ND	Tested
Chloroform	0.600	2.000		ND	Tested
Ethyl Ether	75.000	250.000		ND	Tested
Dichloromethane	30.000	100.000		ND	Tested
Trichloroethene	6.000	20.000		ND	Tested
2,3-Butanedione	30.000	100.000		ND	Tested

Date Tested: 07/21/2026
Testing Method: HS-GC/MS, CON-P-8000; Validation Date: 09/2020.

Ashley Phillips
Laboratory Director
07/24/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.