Brella Beverage
1657 N Kostner Ave
Chicago IL 60639
License #: 1204-683
Confident ID: 2605SMIL0616.4207
Metrc Source ID:

SMITHERS

CERTIFICATE OF ANALYSIS

License #: CTL0004

Certificate: IL-33379.1

1906

Metrc Source ID:

Metrc Sample ID:

Confident ID: 2605SMIL0616.4207

Sample Collected: 05/14/2026
Sample Received: 05/14/2026
Report Published: 05/18/2026
Sample Type: Beverage

RESULTS SUMMARY

Cannabinoid Profile: Tested	Microbial Contaminants: Pass	Residual Solvents: Pass	0.026168% Total THC
Pesticides: Pass	Mycotoxins: Pass	Heavy Metals: Pass	0.0017672% Total CBD
Foreign Matter: Not Tested	Moisture Analysis: Not Tested	Water Activity: Not Tested	0.056461% Total Cannabinoids
	Terpenes: Tested		0.0% Total Terpenes

Report Notes:

Landen Nickel

Lab Manager

Smithers CTS Illinois LLC
8205 Cass Ave. Ste. 106
Darien, IL 60561
(872)-870-0500

ilac-MRA

PJLA Testing
Accreditation #: 107434

Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations. IL Compliance samples were handled according to SOP-SMPL-006.

Brella Beverage
1657 N Kostner Ave
Chicago IL 60639
License #: 1204-683
Confident ID: 2605SMIL0616.4207
Metrc Source ID:

SMITHERS

CERTIFICATE OF ANALYSIS

License #: CTL0004

Certificate: IL-33379.1

Cannabinoids

Tested

Sample Analysis

Sample Prep Date: 05/15/2026
Sample Analysis Date: 05/18/2026
Analyzed By: Agilent 1260 HPLC
SOP: SOP-CANN-001

Analyte	LOD (%)	LOQ (%)	Results (%)	Results (mg/g)	Results (mg/serving)	Results (mg/package)
CBC	4.9829e-5	9.9657e-5	<LOQ	<LOQ	<LOQ	<LOQ
CBCA	4.9829e-5	9.9657e-5	ND	ND	ND	ND
CBDV	4.9829e-5	9.9657e-5	ND	ND	ND	ND
CBDVA	4.9829e-5	9.9657e-5	ND	ND	ND	ND
CBD	4.9829e-5	9.9657e-5	0.0017672	0.017672	0.65386	13.077
CBDA	4.9829e-5	9.9657e-5	ND	ND	ND	ND
CBG	4.9829e-5	9.9657e-5	0.028196	0.28196	10.433	208.65
CBGA	4.9829e-5	9.9657e-5	ND	ND	ND	ND
CBN	4.9829e-5	9.9657e-5	0.0002038	0.002038	0.075406	1.5081
Δ8-THC	4.9829e-5	9.9657e-5	ND	ND	ND	ND
Δ8-THCV	0	0	NT	NT	NT	NT
Δ9-THC	4.9829e-5	9.9657e-5	0.026168	0.26168	9.6822	193.64
Δ9-THCV	4.9829e-5	9.9657e-5	0.00012637	0.0012637	0.046757	0.93514
THCVA	4.9829e-5	9.9657e-5	ND	ND	ND	ND
THCA	4.9829e-5	9.9657e-5	ND	ND	ND	ND

Cannabinoid Totals	Results (%)	Results (mg/g)	Results (mg/serving)	Results (mg/package)
Total THC	0.026168	0.26168	9.6822	193.64
Total CBD	0.0017672	0.017672	0.65386	13.077
Total Cannabinoids	0.056461	0.56461	20.891	417.81

Total THC = THCa*0.877 + Δ9-THC
Total CBD = CBDa*0.877 + CBD
Total Cannabinoids = Sum of all analytes

Serving Weight: 37g;

Report Notes:

Landen Nickel

Lab Manager

Smithers CTS Illinois LLC
8205 Cass Ave. Ste. 106
Darien, IL 60561
(872)-870-0500

ilac-MRA

PJLA Testing
Accreditation #: 107434

Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations. IL Compliance samples were handled according to SOP-SMPL-006.

Brella Beverage
1657 N Kostner Ave
Chicago IL 60639
License #: 1204-683
Confident ID: 2605SMIL0616.4207
Metrc Source ID:

SMITHERS

CERTIFICATE OF ANALYSIS

License #: CTL0004

Certificate: IL-33379.1

Terpenes

Tested

Sample Analysis

Sample Prep Date: 05/15/2026
Sample Analysis Date: 05/18/2026
Analyzed By: GC-FID
SOP: SOP_TERP_002

Analyte	LOD (%)	LOQ (%)	Results (%)	Analyte	LOD (%)	LOQ (%)	Results (%)
3-Carene	0.00310	0.00930	ND	Fenchone	0.00619	0.0186	ND
α-Bisabolol	0.00310	0.00930	ND	Geraniol	0.00310	0.00930	ND
α-Cedrene	0.00310	0.00930	ND	Geranyl Acetate	0.00310	0.00930	ND
α-Humulene	0.00310	0.00930	ND	Guaiol	0.00310	0.00930	ND
α-Phellandrene	0.00310	0.00930	ND	Isoborneol	0.00310	0.00930	ND
α-Pinene	0.00310	0.00930	ND	Isopulegol	0.00310	0.00930	ND
α-Terpinene	0.00310	0.00930	ND	Limonene	0.00310	0.00930	ND
β-Caryophyllene	0.00310	0.00930	ND	Linalool	0.00310	0.00930	ND
β-Myrcene	0.00619	0.0186	ND	Menthol	0.00310	0.00930	ND
β-Pinene	0.00310	0.00930	ND	Nerol	0.00310	0.00930	ND
Borneol	0.00619	0.0186	ND	Pulegone	0.00310	0.00930	ND
Camphene	0.00310	0.00930	ND	Sabinene Hydrate	0.00310	0.00930	ND
Camphor	0.00930	0.0279	ND	Terpineol	0.00310	0.00930	ND
Caryophyllene Oxide	0.00310	0.00930	ND	Terpinolene	0.00310	0.00930	ND
Cedrol	0.00310	0.00930	ND	trans-Nerolidol	0.00310	0.00930	ND
cis-Nerolidol	0.00310	0.00930	ND	trans-Ocimene	0.00259	0.00777	ND
cis-Ocimene	0.000514	0.00153	ND	Valencene	0.00310	0.00930	ND
endo-Fenchyl Alcohol	0.00310	0.00930	ND	γ-Terpinene	0.00310	0.00930	ND
Eucalyptol	0.00310	0.00930	ND	**Total Terpenes**	-	-	**ND**

Report Notes:

Landen Nickel

Lab Manager

Smithers CTS Illinois LLC
8205 Cass Ave. Ste. 106
Darien, IL 60561
(872)-870-0500

PJLA Testing
Accreditation #: 107434

Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations. IL Compliance samples were handled according to SOP-SMPL-006.

Brella Beverage
1657 N Kostner Ave
Chicago IL 60639
License #: 1204-683
Confident ID: 2605SMIL0616.4207
Metrc Source ID:

SMITHERS

CERTIFICATE OF ANALYSIS

License #: CTL0004

Certificate: IL-33379.1

Pesticides

Pass

Sample Analysis

Sample Prep Date: 05/15/2026
Sample Analysis Date: 05/18/2026
Analyzed By: Agilent Ultivo LC-MS/MS
SOP: SOP_PEST_001

Analyte	LOD (ppb)	LOQ (ppb)	Results (ppb)	Limit (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Results (ppb)	Limit (ppb)
Acetamiprid	4.76	9.52	ND	10	Flonicamid	11.9	23.8	ND	30
Aldicarb	9.52	19.0	ND	20	Imidacloprid	9.52	19.0	ND	20
Bifenthrin	9.52	19.0	ND	50	Kresoxim Methyl	4.76	9.52	ND	10
Carbaryl	9.52	19.0	ND	20	Metalaxyl	9.52	19.0	ND	20
Carbofuran	9.52	19.0	ND	100	Oxamyl	23.8	47.6	ND	50
Chlorantraniliprole	9.52	19.0	ND	20	Phosmet	9.52	19.0	ND	40
Chlorpyrifos	4.76	9.52	ND	10	Pyridaben	4.76	9.52	ND	10
Clofentezine	4.76	9.52	ND	10	Spiromesifen	4.76	9.52	ND	10
Diazinon	9.52	19.0	ND	50	Spirotetramat	4.76	9.52	ND	10
Ethoprophos	9.52	19.0	ND	20	Tebuconazole	19.0	38.1	ND	50
Etofenprox	4.76	9.52	ND	10	Thiamethoxam	9.52	19.0	ND	20
Etoxazole	4.76	9.52	ND	10	Trifloxystrobin	4.76	9.52	ND	10
Fenpyroximate	4.76	9.52	ND	15					

Mycotoxins

Pass

Sample Analysis

Sample Prep Date: 05/15/2026
Sample Analysis Date: 05/18/2026
Analyzed By: Agilent Ultivo LC-MS/MS
SOP: SOP_PEST_001

Analyte	LOD (ppb)	LOQ (ppb)	Results (ppb)	Limit (ppb)
Aflatoxin B1	6.28	19.0	ND	20
Aflatoxin B2	6.28	19.0	ND	20
Aflatoxin G1	6.28	19.0	ND	20
Aflatoxin G2	6.28	19.0	ND	20
Ochratoxin A	6.28	19.0	ND	20

Report Notes:

Landen Nickel
Lab Manager

Smithers CTS Illinois LLC
8205 Cass Ave. Ste. 106
Darien, IL 60561
(872)-870-0500

ilac-MRA

PJLA Testing
Accreditation #: 107434

Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations. IL Compliance samples were handled according to SOP-SMPL-006.

Brella Beverage
1657 N Kostner Ave
Chicago IL 60639
License #: 1204-683
Confident ID: 2605SMIL0616.4207
Metrc Source ID:

SMITHERS

CERTIFICATE OF ANALYSIS

License #: CTL0004

Certificate: IL-33379.1

Heavy Metals

Pass

Sample Analysis

Sample Prep Date: 05/15/2026
Sample Analysis Date: 05/15/2026
Analyzed By: Agilent 7800 ICP-MS
SOP: SOP_HM_001

Analyte	LOD (ppb)	LOQ (ppb)	Results (ppb)	Limit (ppb)
Cadmium	29.2	88.1	ND	500
Mercury	2.92	8.81	ND	3000
Lead	29.2	88.1	ND	1000
Chromium	29.2	88.1	ND	2000
Arsenic	29.2	88.1	ND	1500

Microbial Impurities

Pass

Sample Analysis

Sample Prep Date: 05/14/2026
Sample Analysis Date: 05/18/2026
Analyzed By: 3M Petrifilm
SOP: SOP_MICRO_001

Analyte	Results (cfu/g)	Limit (cfu/g)
Total Aerobic Bacteria	ND	10000
Total Bile-Tolerant Gram-Negative Bacteria	ND	100
Total Coliforms	ND	100
Total Yeast & Mold	ND	1000
E.coli (pathogenic strains)	Not Detected	Detected
Salmonella spp.	Not Detected	Detected

Report Notes:

Landen Nickel
Lab Manager

Smithers CTS Illinois LLC
8205 Cass Ave. Ste. 106
Darien, IL 60561
(872)-870-0500

ilac-MRA

PJLA Testing
Accreditation #: 107434

Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations. IL Compliance samples were handled according to SOP-SMPL-006.

Brella Beverage
1657 N Kostner Ave
Chicago IL 60639
License #: 1204-683
Confident ID: 2605SMIL0616.4207
Metrc Source ID:

SMITHERS

CERTIFICATE OF ANALYSIS

License #: CTL0004

Certificate: IL-33379.1

Residual Solvents

Pass

Sample Analysis

Sample Prep Date: 05/15/2026
Sample Analysis Date: 05/15/2026
Analyzed By: GCMS
SOP: SOP-RS-001

Analyte	LOD (ppm)	LOQ (ppm)	Results (ppm)	Limit (ppm)
Acetone	7.485	14.970	ND	5000
Butane	7.485	14.970	ND	5000
Ethanol	7.485	14.970	ND	5000
Ethyl Acetate	7.485	14.970	ND	5000
Ethyl Ether	7.485	14.970	ND	5000
Ethylene Oxide	1.248	2.495	ND	50
Heptane	7.485	14.970	ND	5000
Hexane	7.485	14.970	ND	290
Isopropyl Alcohol	7.485	14.970	ND	5000
Methanol	7.485	14.970	ND	3000
Methylene Chloride	7.485	14.970	ND	600
Pentane	7.485	14.970	ND	5000
Petroleum Ether	7.485	14.970	ND	400
Propane	7.485	14.970	ND	5000
Trichloroethylene	7.485	14.970	ND	80
Toluene	7.485	14.970	ND	5000
Xylenes	7.485	14.970	ND	2170

Report Notes:

Landen Nickel
Lab Manager

Smithers CTS Illinois LLC
8205 Cass Ave. Ste. 106
Darien, IL 60561
(872)-870-0500

PJLA Testing
Accreditation #: 107434

Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations. IL Compliance samples were handled according to SOP-SMPL-006.