ACS LABORATORY | BEYOND COMPLIANCE
721 Cortaro Dr.
Sun City Center, FL 33573
www.acslab.com
DEA No. RA0571996
FL License # CMTL-0003

**AstroBliss Black Cherry Extra Strength Seltzer**
**Sample Matrix:** HEMP
Extract
Ingestion

# Certificate of Analysis

Compliance Test

**Client Information:**
ASTROBLEME LLC
3031 W. CYPRESS ST.
UNIT D
TAMPA, FL 33609

**Manufacturing Facility:**
ASTROBLEME LLC
3031 W. CYPRESS ST.
UNIT D
TAMPA, FL 33609
**Production Date:** 2026-04-07

**Batch Data:**
**Batch #** A283
**Batch Date:** 2026-04-07
**Extracted From:** Hemp

**Order Details:**
**Test Reg State:** Florida

**Order #**
AST260408-070001
**Order Date:** 2026-04-08
**Sample #** AAHP330

**Sampling Date:** 2026-04-10
**Lab Batch Date:** 2026-04-10
**Orig. Completion Date:** 2026-04-27

**Volume:** 382 ml

**Net Weight per Serving:**
31.8333 ml
**Servings Per Package:**
12

**Statement of Amendment: Auto merge with full package testing**

Product Image

| | | | | |
|---|---|---|---|---|
| Potency Tested | Heavy Metals Passed | Mycotoxins Passed | Pesticides Passed | Residual Solvents Passed |
| Pathogenic Microbiology Passed | Microbiology (qPCR) Passed | | | |

## Potency Summary

| | | | |
|---|---|---|---|
| **Delta 9 THC** | **0.0171%** | **Total Active CBD** | **0.0131%** |
| per Serving | 5.44 mg | per Serving | 4.18 mg |
| per Package | 65.3 mg | per Package | 50.2 mg |
| **Total CBG** | **<LOQ** | **Total CBN** | **<LOQ** |
| per Serving | 0.00 mg | per Serving | 0.00 mg |
| per Package | 0.00 mg | per Package | 0.00 mg |
| **Total Cannabinoids** | **0.0303%** | **Total Active THC** | **0.0171%** |
| per Serving | 9.64 mg | per Serving | 5.44 mg |
| per Package | 116 mg | per Package | 65.3 mg |

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

ACCREDITED CERT #6786.01

DEA REGISTERED LABORATORY #RA0571996

Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total THC= (THCA+ D8thca) *0.877 +Total (+/-) Delta 9 THC +Total (+/-) Delta-8 THC+ delta 7-THCs +Delta4(8)-iso-THC+Delta8-iso-THC+Delta6a10a-THC+Total Delta-10 THC+exo-THC+abnormal cbd, Total THCV = THCV + (THCVA * 0.87) , CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed – Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed – Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034 Client supplied the net weight of mg The results apply to the sample as received. Revised report- see statement of amendment above.

*This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The scope of this analysis is limited to the parameters listed in this COA. Testing for food additives (e.g., preservatives, colorant, flavor enhancers) was not conducted. Therefore, no conclusions should be drawn regarding the presence or absence of such additives. The current and valid permit number for the facility issued by a human health or food safety regulatory entity with authority over the facility is stated above, and that the facility meets the human health or food safety sanitization requirements of the regulatory entity as documented by the regulatory entity and evidenced by the valid permit number.*

QA By: 1057 on 2026-04-27 12:11:34 V2

ACS LABORATORY | BEYOND COMPLIANCE
721 Cortaro Dr.
Sun City Center, FL 33573
www.acslab.com
DEA No. RA0571996
FL License # CMTL-0003

AstroBliss Black Cherry Extra Strength Seltzer
Sample Matrix: HEMP
Extract
Ingestion

# Certificate of Analysis

Compliance Test

**Client Information:**
ASTROBLEME LLC
3031 W. CYPRESS ST.
UNIT D
TAMPA, FL 33609

**Manufacturing Facility:**
ASTROBLEME LLC
3031 W. CYPRESS ST.
UNIT D
TAMPA, FL 33609
**Production Date:** 2026-04-07

**Batch Data:**
**Batch #** A283
**Batch Date:** 2026-04-07
**Extracted From:** Hemp

**Order Details:**
**Test Reg State:** Florida

**Order #**
AST260408-070001
**Order Date:** 2026-04-08
**Sample #** AAHP330

**Sampling Date:** 2026-04-10
**Lab Batch Date:** 2026-04-10
**Orig. Completion Date:** 2026-04-27

**Volume:** 382 ml

**Net Weight per Serving:**
31.8333 ml
**Servings Per Package:**
12

## Potency 11 (LCUV)

**Specimen Weight: 280000.000 mg**

**Tested**

**SOP13.030 (LCMS)**

| Analyte | Dilution (1:n) | LOD (mg/g) | LOQ (%) | Result (µg/ml) | (%) | Per Serving (mg ) | Per Package (mg ) |
|---|---|---|---|---|---|---|---|
| Delta-9 THC | 40.000 | 1.30E-5 | 0.015 | 171 | 0.0171 | 5.44 | 65.3 |
| CBD | 40.000 | 5.40E-5 | 0.015 | 131 | 0.0131 | 0.00 | 0.00 |
| CBDV | 8.000 | 6.50E-5 | 0.015 | 0.480 | 0.0000480 | 0.00 | 0.00 |
| CBC | 8.000 | 1.80E-5 | 0.015 | <LOQ | <LOQ | 0.00 | 0.00 |
| CBDA | 8.000 | 1.00E-5 | 0.015 | <LOQ | <LOQ | 0.00 | 0.00 |
| CBG | 8.000 | 2.48E-4 | 0.015 | <LOQ | <LOQ | 0.00 | 0.00 |
| CBGA | 8.000 | 8.00E-5 | 0.015 | <LOQ | <LOQ | 0.00 | 0.00 |
| CBN | 8.000 | 1.40E-5 | 0.015 | <LOQ | <LOQ | 0.00 | 0.00 |
| Delta-8 THC | 8.000 | 2.60E-5 | 0.015 | <LOQ | <LOQ | 0.00 | 0.00 |
| THCA-A | 8.000 | 3.20E-5 | 0.015 | <LOQ | <LOQ | 0.00 | 0.00 |
| THCV | 8.000 | 7.00E-6 | 0.015 | <LOQ | <LOQ | 0.00 | 0.00 |
| Total Active THC | 8.000 | | | 171 | 0.0171 | 0.00 | 0.00 |
| Total Active CBD | 8.000 | | | 131 | 0.0131 | 0.00 | 0.00 |

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

*This report shall not be reproduced, without written approval, from ACS Laboratory The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The scope of this analysis is limited to the parameters listed in this COA. Testing for food additives (e.g., preservatives, colorant, flavor enhancers) was not conducted. Therefore, no conclusions should be drawn regarding the presence or absence of such additives. The current and valid permit number for the facility issued by a human health or food safety regulatory entity with authority over the facility is stated above, and that the facility meets the human health or food safety sanitization requirements of the regulatory entity as documented by the regulatory entity and evidenced by the valid permit number.*

QA By: 1057 on 2026-04-27 12:11:34 V2

ACS LABORATORY | BEYOND COMPLIANCE
721 Cortaro Dr.
Sun City Center, FL 33573
www.acslab.com
DEA No. RA0571996
FL License # CMTL-0003

AstroBliss Black Cherry Extra Strength Seltzer
Sample Matrix: HEMP
Extract
Ingestion

# Certificate of Analysis

Compliance Test

**Client Information:**
ASTROBLEME LLC
3031 W. CYPRESS ST.
UNIT D
TAMPA, FL 33609

**Manufacturing Facility:**
ASTROBLEME LLC
3031 W. CYPRESS ST.
UNIT D
TAMPA, FL 33609
**Production Date:** 2026-04-07

**Batch Data:**
**Batch #** A283
**Batch Date:** 2026-04-07
**Extracted From:** Hemp

**Order Details:**
**Test Reg State:** Florida

**Order #**
AST260408-070001
**Order Date:** 2026-04-08
**Sample #** AAHP330

**Sampling Date:** 2026-04-10
**Lab Batch Date:** 2026-04-10
**Orig. Completion Date:** 2026-04-27

**Volume:** 382 ml

**Net Weight per Serving:**
31.8333 ml
**Servings Per Package:**
12

## PCR Total Yeast and Mold

**Specimen Weight: 523.100 mg**

**Passed**
**SOP13.017 (qPCR)**

**Dilution Factor: 1.000**

| Analyte | LOQ (cfu/g) | Action Level (cfu/g) | Result (cfu/g) |
|---|---|---|---|
| Total Yeast/Mold | 1000 | 100000 | <LOQ |

## Pathogenic Microbiology SAE (MicroArray) Multi State

**Specimen Weight: 1010.900 mg**

**Passed**
**SOP13.019 (Micro Array)**

**Dilution Factor: 1.000**

| Analyte | Action Level (cfu/g) | Result (cfu/g) | Analyte | Action Level (cfu/g) | Result (cfu/g) |
|---|---|---|---|---|---|
| Aspergillus flavus | 1 | Absence in 1g | E. Coli | 1 | Absence in 1g |
| Aspergillus fumigatus | 1 | Absence in 1g | Salmonella | 1 | Absence in 1g |
| Aspergillus niger | 1 | Absence in 1g | Shiga toxin-producing E. coli (STEC) | 1 | Absence in 1g |
| Aspergillus terreus | 1 | Absence in 1g | | | |

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

*This report shall not be reproduced, without written approval, from ACS Laboratory The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The scope of this analysis is limited to the parameters listed in this COA. Testing for food additives (e.g., preservatives, colorant, flavor enhancers) was not conducted. Therefore, no conclusions should be drawn regarding the presence or absence of such additives. The current and valid permit number for the facility issued by a human health or food safety regulatory entity with authority over the facility is stated above, and that the facility meets the human health or food safety sanitization requirements of the regulatory entity as documented by the regulatory entity and evidenced by the valid permit number.*

ACS LABORATORY | BEYOND COMPLIANCE
721 Cortaro Dr.
Sun City Center, FL 33573
www.acslab.com
DEA No. RA0571996
FL License # CMTL-0003

**AstroBliss Black Cherry Extra Strength Seltzer**
**Sample Matrix:** HEMP
Extract
Ingestion

# Certificate of Analysis

Compliance Test

**Client Information:**
ASTROBLEME LLC
3031 W. CYPRESS ST.
UNIT D
TAMPA, FL 33609

**Manufacturing Facility:**
ASTROBLEME LLC
3031 W. CYPRESS ST.
UNIT D
TAMPA, FL 33609
**Production Date:** 2026-04-07

**Batch Data:**
**Batch #** A283
**Batch Date:** 2026-04-07
**Extracted From:** Hemp

**Order Details:**
**Test Reg State:** Florida

**Order #**
AST260408-070001
**Order Date:** 2026-04-08
**Sample #** AAHP330

**Sampling Date:** 2026-04-10
**Lab Batch Date:** 2026-04-10
**Orig. Completion Date:** 2026-04-27

**Volume:** 382 ml

**Net Weight per Serving:**
31.8333 ml
**Servings Per Package:**
12

## Heavy Metals Florida

**Specimen Weight: 257.900 mg**

**Passed**
**SOP13.048 (ICP-MS)**

**Dilution Factor: 193.874**

| Analyte | LOD (ppb) | LOQ (ppb) | Action Level (ppb) | Result (ppb) | Analyte | LOD (ppb) | LOQ (ppb) | Action Level (ppb) | Result (ppb) |
|---|---|---|---|---|---|---|---|---|---|
| Arsenic (As) | 0.013 | 100 | 1500 | <LOQ | Lead (Pb) | 0.007 | 100 | 500 | <LOQ |
| Cadmium (Cd) | 0.003 | 100 | 500 | <LOQ | Mercury (Hg) | 0.016 | 100 | 3000 | <LOQ |

## Mycotoxins FL

**Specimen Weight: 617.500 mg**

**Passed**
**SOP13.007 (LCMS/GCMS)**

**Dilution Factor: 2.430**

| Analyte | LOD (ppb) | LOQ (ppb) | Action Level (ppb) | Result (ppb) | Analyte | LOD (ppb) | LOQ (ppb) | Action Level (ppb) | Result (ppb) |
|---|---|---|---|---|---|---|---|---|---|
| Aflatoxin B1 | 0.304 | 4.9 | 20 | <LOQ | Aflatoxin G2 | 0.271 | 4.9 | 20 | <LOQ |
| Aflatoxin B2 | 0.077 | 4.9 | 20 | <LOQ | Ochratoxin A | 0.754 | 9.8 | 20 | <LOQ |
| Aflatoxin G1 | 0.304 | 4.9 | 20 | <LOQ | | | | | |

## Residual Solvents - FL (CBD)

**Specimen Weight: 6.400 mg**

**Passed**
**SOP13.039 (GCMS-HS)**

**Dilution Factor: 1.000**

| Analyte | LOD (ppm) | LOQ (ppm) | Action Level (ppm) | Result (ppm) | Analyte | LOD (ppm) | LOQ (ppm) | Action Level (ppm) | Result (ppm) |
|---|---|---|---|---|---|---|---|---|---|
| 1,1-Dichloroethene | 0.009 | 1.6 | 8 | <LOQ | Heptane | 0.001 | 13.9 | 5000 | <LOQ |
| 1,2-Dichloroethane | 0.000 | 0.4 | 2 | <LOQ | Hexane | 0.068 | 11.7 | 250 | <LOQ |
| Acetone | 0.015 | 20.8 | 750 | <LOQ | Isopropyl alcohol | 0.005 | 13.9 | 500 | <LOQ |
| Acetonitrile | 0.060 | 11.7 | 60 | <LOQ | Methanol | 0.001 | 6.9 | 250 | <LOQ |
| Benzene | 0.000 | 0.2 | 1 | <LOQ | Methylene chloride | 0.003 | 24.3 | 125 | <LOQ |
| Butanes | 0.417 | 25 | 5000 | <LOQ | Pentane | 0.037 | 20.8 | 750 | <LOQ |
| Chloroform | 0.000 | 0.4 | 2 | <LOQ | Propane | 0.031 | 58.3 | 5000 | <LOQ |
| Ethanol | 0.002 | 27.8 | 5000 | <LOQ | Toluene | 0.001 | 29.2 | 150 | <LOQ |
| Ethyl Acetate | 0.001 | 11.1 | 400 | <LOQ | Total Xylenes | 0.000 | 29.2 | 150 | <LOQ |
| Ethyl Ether | 0.005 | 13.9 | 500 | <LOQ | Trichloroethylene | 0.001 | 4.9 | 25 | <LOQ |
| Ethylene Oxide | 0.004 | 1 | 5 | <LOQ | | | | | |

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

*This report shall not be reproduced, without written approval, from ACS Laboratory The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The scope of this analysis is limited to the parameters listed in this COA. Testing for food additives (e.g., preservatives, colorant, flavor enhancers) was not conducted. Therefore, no conclusions should be drawn regarding the presence or absence of such additives. The current and valid permit number for the facility issued by a human health or food safety regulatory entity with authority over the facility is stated above, and that the facility meets the human health or food safety sanitization requirements of the regulatory entity as documented by the regulatory entity and evidenced by the valid permit number.*

ACCREDITED CERT #6786.01

DEA REGISTERED LABORATORY #RA0571996

QA By: 1057 on 2026-04-27 12:11:34 V2

ACS LABORATORY | BEYOND COMPLIANCE
721 Cortaro Dr.
Sun City Center, FL 33573
www.acslab.com
DEA No. RA0571996
FL License # CMTL-0003

**AstroBliss Black Cherry Extra Strength Seltzer**
**Sample Matrix:** HEMP
Extract
Ingestion

# Certificate of Analysis

Compliance Test

**Client Information:**
**ASTROBLEME LLC**
**3031 W. CYPRESS ST.**
**UNIT D**
**TAMPA, FL 33609**

**Manufacturing Facility:**
ASTROBLEME LLC
3031 W. CYPRESS ST.
UNIT D
TAMPA, FL 33609
**Production Date:** 2026-04-07

**Batch Data:**
**Batch #** A283
**Batch Date:** 2026-04-07
**Extracted From:** Hemp

**Order Details:**
**Test Reg State:** Florida

**Order #**
AST260408-070001
**Order Date:** 2026-04-08
**Sample #** AAHP330

**Sampling Date:** 2026-04-10
**Lab Batch Date:** 2026-04-10
**Orig. Completion Date:** 2026-04-27

**Volume:** 382 ml

**Net Weight per Serving:**
31.8333 ml
**Servings Per Package:**
12

## Pesticides

**Specimen Weight: 617.500 mg**

**Passed**
**SOP13.007 (LCMS/GCMS)**

**Dilution Factor: 2.430**

| Analyte | LOD (ppb) | LOQ (ppb) | Action Level (ppb) | Result (ppb) | Analyte | LOD (ppb) | LOQ (ppb) | Action Level (ppb) | Result (ppb) |
|---|---|---|---|---|---|---|---|---|---|
| Abamectin | 0.399 | 23.3 | 300 | <LOQ | Fludioxonil | 0.360 | 24.8 | 3000 | <LOQ |
| Acephate | 0.141 | 24.8 | 3000 | <LOQ | Hexythiazox | 0.113 | 24.8 | 2000 | <LOQ |
| Acequinocyl | 2.178 | 24.8 | 2000 | <LOQ | Imazalil | 0.258 | 24.8 | 100 | <LOQ |
| Acetamiprid | 0.140 | 24.8 | 3000 | <LOQ | Imidacloprid | 0.402 | 24.8 | 3000 | <LOQ |
| Aldicarb | 0.203 | 24.8 | 100 | <LOQ | Kresoxim Methyl | 0.182 | 24.8 | 1000 | <LOQ |
| Azoxystrobin | 0.188 | 24.8 | 3000 | <LOQ | Malathion | 0.223 | 24.8 | 2000 | <LOQ |
| Bifenazate | 0.086 | 24.8 | 3000 | <LOQ | Metalaxyl | 0.270 | 24.8 | 3000 | <LOQ |
| Bifenthrin | 0.100 | 24.8 | 500 | <LOQ | Methiocarb | 0.118 | 24.8 | 100 | <LOQ |
| Boscalid | 0.595 | 24.8 | 3000 | <LOQ | Methomyl | 0.064 | 24.8 | 100 | <LOQ |
| Captan | 1.850 | 323 | 3000 | <LOQ | methyl-Parathion | 0.820 | 24.8 | 100 | <LOQ |
| Carbaryl | 0.122 | 24.8 | 500 | <LOQ | Mevinphos | 0.093 | 24.8 | 100 | <LOQ |
| Carbofuran | 0.086 | 24.8 | 100 | <LOQ | Myclobutanil | 0.573 | 24.8 | 3000 | <LOQ |
| Chlorantraniliprole | 0.084 | 24.8 | 3000 | <LOQ | Naled | 0.069 | 24.8 | 500 | <LOQ |
| Chlordane | 1.410 | 24.8 | 100 | <LOQ | Oxamyl | 0.041 | 24.8 | 500 | <LOQ |
| Chlorfenapyr | 1.500 | 24.8 | 100 | <LOQ | Paclobutrazol | 0.186 | 24.8 | 100 | <LOQ |
| Chlormequat Chloride | 0.205 | 24.8 | 3000 | <LOQ | Pentachloronitrobenzene | 0.220 | 24.8 | 200 | <LOQ |
| Chlorpyrifos | 0.109 | 24.8 | 100 | <LOQ | Permethrin | 0.624 | 24.8 | 1000 | <LOQ |
| Clofentezine | 0.212 | 24.8 | 500 | <LOQ | Phosmet | 0.127 | 24.8 | 200 | <LOQ |
| Coumaphos | 0.206 | 24.8 | 100 | <LOQ | Piperonylbutoxide | 0.149 | 24.8 | 3000 | <LOQ |
| Cyfluthrin | 0.980 | 24.8 | 1000 | <LOQ | Prallethrin | 1.476 | 24.8 | 400 | <LOQ |
| Cypermethrin | 0.985 | 24.8 | 1000 | <LOQ | Propiconazole | 0.294 | 24.8 | 1000 | <LOQ |
| Daminozide | 1.655 | 24.8 | 100 | <LOQ | Propoxur | 0.100 | 24.8 | 100 | <LOQ |
| Diazinon | 0.212 | 24.8 | 200 | <LOQ | Pyrethrins | 0.067 | 12.9 | 1000 | <LOQ |
| Dichlorvos | 1.130 | 24.8 | 100 | <LOQ | Pyridaben | 0.140 | 24.8 | 3000 | <LOQ |
| Dimethoate | 0.063 | 24.8 | 100 | <LOQ | Spinetoram | 0.424 | 24.8 | 3000 | <LOQ |
| Dimethomorph | 2.581 | 24.8 | 3000 | <LOQ | Spinosad | 0.028 | 24.8 | 3000 | <LOQ |
| Ethoprophos | 0.151 | 24.8 | 100 | <LOQ | Spiromesifen | 0.120 | 24.8 | 3000 | <LOQ |
| Etofenprox | 0.172 | 24.8 | 100 | <LOQ | Spirotetramat | 0.211 | 24.8 | 3000 | <LOQ |
| Etoxazole | 0.866 | 24.8 | 1500 | <LOQ | Spiroxamine | 0.533 | 24.8 | 100 | <LOQ |
| Fenhexamid | 0.588 | 24.8 | 3000 | <LOQ | Tebuconazole | 0.230 | 24.8 | 1000 | <LOQ |
| Fenoxycarb | 0.274 | 24.8 | 100 | <LOQ | Thiacloprid | 0.170 | 24.8 | 100 | <LOQ |
| Fenpyroximate | 0.198 | 24.8 | 2000 | <LOQ | Thiamethoxam | 0.179 | 24.8 | 1000 | <LOQ |
| Fipronil | 0.317 | 24.8 | 100 | <LOQ | Trifloxystrobin | 0.134 | 24.8 | 3000 | <LOQ |
| Flonicamid | 0.466 | 24.8 | 2000 | <LOQ | | | | | |

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

*This report shall not be reproduced, without written approval, from ACS Laboratory The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The scope of this analysis is limited to the parameters listed in this COA. Testing for food additives (e.g., preservatives, colorant, flavor enhancers) was not conducted. Therefore, no conclusions should be drawn regarding the presence or absence of such additives. The current and valid permit number for the facility issued by a human health or food safety regulatory entity with authority over the facility is stated above, and that the facility meets the human health or food safety sanitization requirements of the regulatory entity as documented by the regulatory entity and evidenced by the valid permit number.*

ACCREDITED CERT #6786.01

DEA REGISTERED LABORATORY #RA0571996

QA By: 1057 on 2026-04-27 12:11:34 V2