Trichome Analytical
6000 Commerce Parkway Suite I
Mount Laurel, NJ 08054

CERTIFICATE OF ANALYSIS

(856) 316-0600
http://www.trichomeanalytical.com

FHNRO260115-A

Float House Holdings Inc.
Lic. #: CSM.0002763-HEMP
570 Hayden Station Rd
Windsor, CT 06095

Sample Size: 4 units

Received: 02/04/2026
Completed: 02/10/2026
Sampled by: Client

Sample ID: 260202TRI001.001
Sample Description: THC Nitro

Matrix: Ingestible

Rev. 0.

Summary

Test	Result
Cannabinoids	Complete
Residual Solvents	Pass
Microbials	Pass
Mycotoxins	Pass
Pesticides	Pass
Heavy Metals	Pass
Foreign Matter	Pass

Cannabinoids

Complete

3.239 mg/unit	3.276 mg/unit	ND	6.515 mg/unit
0.0009080%	0.0009185%	ND	0.001826%
Total THC	Total CBD	Total CBG	Total Cannabinoids

Analyte	LOD	LOQ	Result	Result
	mg/unit	mg/unit	mg/unit	%
(6aR,9R)-d10-THC*	0.1994	0.05985	ND	ND
9R-HHC*	0.09972	0.2992	ND	ND
(6aR,9S)-d10-THC*	0.1994	0.05985	ND	ND
9S-HHC*	0.09972	0.2992	ND	ND
CBC	0.1172	0.3906	ND	ND
CBCa	0.2275	0.7583	ND	ND
CBD	0.1172	0.3906	3.276	0.0009185
CBDa	0.1172	0.3906	ND	ND
CBDV	0.1172	0.3906	ND	ND
CBDVa	0.1172	0.3906	ND	ND
CBG	0.1172	0.3906	ND	ND
CBG Diacetate*	0.09972	0.2992	ND	ND
CBGa	0.1172	0.3906	ND	ND

Analyte	LOD	LOQ	Result	Result
	mg/unit	mg/unit	mg/unit	%
CBL	0.1172	0.3906	ND	ND
CBN	0.1172	0.3906	ND	ND
CBT*	0.09972	0.2992	ND	ND
Δ8-THC	0.1172	0.3906	ND	ND
Δ8-THCP*	0.09972	0.2992	ND	ND
Δ9-THC	0.1172	0.3906	3.239	0.0009080
Δ9-THC Acetate*	0.09972	0.2992	ND	ND
Δ9-THCH*	0.09972	0.2992	ND	ND
Δ9-THCP*	0.09972	0.2992	ND	ND
Exo-THC*	0.1994	0.05985	ND	ND
THCa	0.1172	0.3906	ND	ND
THCV	0.1172	0.3906	ND	ND
THCVa	0.1172	0.3906	ND	ND

Date Analyzed: 02/06/2026
1 Unit = 355 mL Can, 356.6685g
Unit Mass/Volume provided by Client and may affect the validity of "mg/unit" results.
SOP.102, AOAC 2018.11 (Modified); UHPLC-PDA. SOP.406; LC-MS/MS. Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; Total CBG = CBGa * 0.878 + CBG. *Analytes reported are outside of the laboratory's ISO 17025 accreditation.

ISO/IEC 17025:2017 A2LA
CERT# 5913.01 // DEA#
RT0581098 // NJ HEMP#
34_00077

Kristen Goedde
Quality Manager

Tom Barkley
Laboratory Director

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. Action levels reported for contaminants are in accordance with GAC Rule 40-32-5-.02 issued by the State of Georgia. Values reported relate only to the product tested and batched under the batch number identified above. Trichome Analytical makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. All analytical work is performed using validated methods and in accordance with state and/or federal guidelines. This certificate may only be reproduced in full.

Trichome Analytical
6000 Commerce Parkway Suite I
Mount Laurel, NJ 08054

CERTIFICATE OF ANALYSIS

(856) 316-0600
http://www.trichomeanalytical.com

FHNRO260115-A

Float House Holdings Inc.
Lic. #: CSM.0002763-HEMP
570 Hayden Station Rd
Windsor, CT 06095

Sample Size: 4 units

Received: 02/04/2026
Completed: 02/10/2026
Sampled by: Client

Sample ID: 260202TRI001.001
Sample Description: THC Nitro

Matrix: Ingestible

Rev. 0.

Microbials

Pass

Analyte	LOD	Limit	Result	Status
	CFU/g	CFU/g	CFU/g	
Total Yeast & Mold Count	10	10000	<10	Pass
Total Aerobic Bacteria Count	10	100000	<10	Pass
Total Enterobacteriaceae (BTGN) Count	10	1000	<10	Pass
Total Coliform Count	10		<10	Tested
Total Escherichia coli (E. coli) Count	10		<10	Tested
Shiga-toxin producing Escherichia coli (STEC)	1	Detected in 1g	Not Detected	Pass
Salmonella spp.	1		Not Detected	Tested
Listeria SPP	1		Not Detected	Tested
Aspergillus spp. (A. fumigatus, A. flavus, A. niger, A. terreus)	1	Detected in 1g	Not Detected	Pass

Date Analyzed: 02/09/2026
Pathogens: SOP.606, SOP.607; qPCR. Quality Indicators: SOP.605; MPN.

Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Aflatoxin B1	0.000805	0.00268	0.02	ND	Pass
Aflatoxin B2	0.000805	0.00268	0.02	ND	Pass
Aflatoxin G1	0.000805	0.00268	0.02	ND	Pass
Aflatoxin G2	0.000805	0.00268	0.02	ND	Pass
Total Aflatoxins				ND	Tested
Ochratoxin A	0.00322	0.0107	0.02	ND	Pass

Date Analyzed: 02/04/2026
SOP.402; LC-MS/MS.

Foreign Matter

Pass

Date Analyzed: 02/05/2026

SOP.706; Microscopy. Screened for: mold, combustion by-products, cinders, sand, soil, dirt, hair, insect parts, rodent feces, and other foreign material. Pass/fail criteria determined by the laboratory based on the limit of detection of the method, which is as follows: 1% by weight, 10% visual area estimation, 1 foreign material particulate such as insect parts, hair, etc. per 3 grams of material.

ACCREDITED CERT #5913.01

ISO/IEC 17025:2017 A2LA
CERT# 5913.01 // DEA#
RT0581098 // NJ HEMP#
34_00077

Kristen Goedde
Quality Manager

Tom Barkley
Laboratory Director

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

confident

ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. Action levels reported for contaminants are in accordance with GAC Rule 40-32-5-.02 issued by the State of Georgia. Values reported relate only to the product tested and batched under the batch number identified above. Trichome Analytical makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. All analytical work is performed using validated methods and in accordance with state and/or federal guidelines. This certificate may only be reproduced in full.

Trichome Analytical
6000 Commerce Parkway Suite I
Mount Laurel, NJ 08054

CERTIFICATE OF ANALYSIS

(856) 316-0600
http://www.trichomeanalytical.com

FHNRO260115-A

Float House Holdings Inc.
Lic. #: CSM.0002763-HEMP
570 Hayden Station Rd
Windsor, CT 06095

Sample Size: 4 units

Received: 02/04/2026
Completed: 02/10/2026
Sampled by: Client

Sample ID: 260202TRI001.001
Sample Description: THC Nitro

Matrix: Ingestible

Rev. 0.

Solvents

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
1,1- Dichloroethene	0.0391	0.117		ND	Tested
1,2-Dichloroethane	0.156	0.469		ND	Tested
Acetone	15.6	46.9		ND	Tested
Acetonitrile	15.6	46.9		ND	Tested
Benzene	0.0391	0.117		ND	Tested
Butane	15.6	46.9	800	ND	Pass
Chloroform	0.0391	0.117		ND	Tested
Ethanol	15.6	46.9	5000	3170	Pass
Ethyl acetate	15.6	46.9		ND	Tested
Ethyl ether	15.6	46.9		ND	Tested
Ethylene oxide	0.156	0.469		ND	Tested
Heptane	15.6	46.9	500	ND	Pass
n-Hexane	7.81	23.4	100	ND	Pass
Isopropyl alcohol	15.6	46.9		ND	Tested
Methanol	31.3	93.8		ND	Tested
Methylene chloride	0.0781	0.234		ND	Tested
Pentane	3.91	11.7		ND	Tested
Propane	7.81	23.4		ND	Tested
Toluene	7.81	23.4		ND	Tested
Trichloroethylene	0.0391	0.117		ND	Tested
Xylenes	7.81	23.4		ND	Tested

Date Analyzed: 02/05/2026
SOP.204; HS-GC-MS.

ISO/IEC 17025:2017 A2LA
CERT# 5913.01 // DEA#
RT0581098 // NJ HEMP#
34_00077

Kristen Goedde
Quality Manager

Tom Barkley
Laboratory Director

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. Action levels reported for contaminants are in accordance with GAC Rule 40-32-5-.02 issued by the State of Georgia. Values reported relate only to the product tested and batched under the batch number identified above. Trichome Analytical makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. All analytical work is performed using validated methods and in accordance with state and/or federal guidelines. This certificate may only be reproduced in full.

Trichome Analytical
6000 Commerce Parkway Suite I
Mount Laurel, NJ 08054

CERTIFICATE OF ANALYSIS

(856) 316-0600
http://www.trichomeanalytical.com

FHNRO260115-A

Float House Holdings Inc.
Lic. #: CSM.0002763-HEMP
570 Hayden Station Rd
Windsor, CT 06095

Sample Size: 4 units

Received: 02/04/2026
Completed: 02/10/2026
Sampled by: Client

Sample ID: 260202TRI001.001
Sample Description: THC Nitro

Matrix: Ingestible

Rev. 0.

Pesticides

Pass

Analyte	LOD	LOQ	Limit	Result	Status	Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.0101	0.0336	0.1	ND	Pass	Fludioxonil	0.0101	0.0336	0.1	ND	Pass
Acephate	0.0101	0.0336	0.1	ND	Pass	Hexythiazox	0.0101	0.0336	0.1	ND	Pass
Acequinocyl	0.0101	0.0336	0.1	ND	Pass	Imazalil	0.0101	0.0336	0.1	ND	Pass
Acetamiprid	0.0101	0.0336	0.1	ND	Pass	Imidacloprid	0.0101	0.0336	0.1	ND	Pass
Aldicarb	0.0101	0.0336	0.1	ND	Pass	Kresoxim Methyl	0.0101	0.0336	0.1	ND	Pass
Azoxystrobin	0.0101	0.0336	0.1	ND	Pass	Malathion	0.0101	0.0336	0.1	ND	Pass
Bifenazate	0.0101	0.0336	0.1	ND	Pass	Metalaxyl	0.0101	0.0336	0.1	ND	Pass
Bifenthrin	0.0101	0.0336	0.1	ND	Pass	Methiocarb	0.0101	0.0336	0.1	ND	Pass
Boscalid	0.0101	0.0336	0.1	ND	Pass	Methomyl	0.0101	0.0336	0.1	ND	Pass
Captan	0.0805	0.268		ND	Tested	Mevinphos	0.0101	0.0336	0.1	ND	Pass
Carbaryl	0.0101	0.0336	0.1	ND	Pass	MGK-264	0.0201	0.0671		ND	Tested
Carbofuran	0.0101	0.0336	0.1	ND	Pass	Myclobutanil	0.0101	0.0336	0.1	ND	Pass
Chlorantraniliprole	0.0101	0.0336	0.1	ND	Pass	Naled	0.0101	0.0336		ND	Tested
Chlordane	0.0101	0.0336	0.1	ND	Pass	Oxamyl	0.0101	0.0336	0.1	ND	Pass
Chlorfenapyr	0.0101	0.0336		ND	Tested	Paclobutrazol	0.0101	0.0336	0.1	ND	Pass
Chlormequat chloride	0.0101	0.0336		ND	Tested	Parathion Methyl	0.0101	0.0336		ND	Tested
Chlorpyrifos	0.0101	0.0336	0.1	ND	Pass	Pentachloronitrobenzene	0.0101	0.0336		ND	Tested
Clofentezine	0.0101	0.0336		ND	Tested	Permethrins	0.0101	0.0336	0.1	ND	Pass
Coumaphos	0.0101	0.0336	0.1	ND	Pass	Phosmet	0.0101	0.0336	0.1	ND	Pass
Cyfluthrin	0.0101	0.0336	0.1	ND	Pass	Piperonyl Butoxide	0.0101	0.0336	0.1	ND	Pass
Cypermethrin	0.0201	0.0671	0.1	ND	Pass	Prallethrin	0.0403	0.0336	0.1	ND	Pass
Daminozide	0.0101	0.0336	0.1	ND	Pass	Propiconazole	0.0101	0.0336	0.1	ND	Pass
Diazinon	0.0101	0.0336	0.1	ND	Pass	Propoxur	0.0101	0.0336	0.1	ND	Pass
Dichlorvos	0.0101	0.0336	0.1	ND	Pass	Pyrethrins	0.0403	0.134		ND	Tested
Dimethoate	0.0101	0.0336	0.1	ND	Pass	Pyridaben	0.0101	0.0336	0.1	ND	Pass
Dimethomorph	0.0101	0.0336	0.1	ND	Pass	Spinetoram	0.0101	0.0336	0.1	ND	Pass
Ethoprophos	0.0101	0.0336	0.1	ND	Pass	Spinosad	0.0101	0.0336		ND	Tested
Etofenprox	0.0101	0.0336	0.1	ND	Pass	Spiromesifen	0.0101	0.0336	0.1	ND	Pass
Etoxazole	0.0101	0.0336	0.1	ND	Pass	Spirotetramat	0.0101	0.0336	0.1	ND	Pass
Fenhexamid	0.0101	0.0336	0.1	ND	Pass	Spiroxamine	0.0101	0.0336	0.1	ND	Pass
Fenoxycarb	0.0101	0.0336	0.1	ND	Pass	Tebuconazole	0.0101	0.0336	0.1	ND	Pass
Fenpyroximate	0.0101	0.0336		ND	Tested	Thiacloprid	0.0101	0.0336	0.1	ND	Pass
Fipronil	0.0101	0.0336	0.1	ND	Pass	Thiamethoxam	0.0101	0.0336	0.1	ND	Pass
Flonicamid	0.0101	0.0336	0.1	ND	Pass	Trifloxystrobin	0.0101	0.0336	0.1	ND	Pass

Date Tested: 02/05/2026
SOP.402; LC-MS/MS & SOP.302; GC-MS

ISO/IEC 17025:2017 A2LA
CERT# 5913.01 // DEA#
RT0581098 // NJ HEMP#
34_00077

Kristen Goedde
Quality Manager

Tom Barkley
Laboratory Director

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. Action levels reported for contaminants are in accordance with GAC Rule 40-32-5-.02 issued by the State of Georgia. Values reported relate only to the product tested and batched under the batch number identified above. Trichome Analytical makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. All analytical work is performed using validated methods and in accordance with state and/or federal guidelines. This certificate may only be reproduced in full.

Trichome Analytical
6000 Commerce Parkway Suite I
Mount Laurel, NJ 08054

CERTIFICATE OF ANALYSIS

(856) 316-0600
http://www.trichomeanalytical.com

FHNRO260115-A

Float House Holdings Inc.
Lic. #: CSM.0002763-HEMP
570 Hayden Station Rd
Windsor, CT 06095

Sample Size: 4 units

Received: 02/04/2026
Completed: 02/10/2026
Sampled by: Client

Sample ID: 260202TRI001.001
Sample Description: THC Nitro

Matrix: Ingestible

Rev. 0.

Elemental

Pass

Heavy Metals

Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.00651	0.0482	0.5	ND	Pass
Cadmium	0.000512	0.0241	0.5	ND	Pass
Lead	0.00609	0.0241	0.5	ND	Pass
Mercury	0.00276	0.00722	0.5	ND	Pass
Chromium	0.0259	0.0722		ND	Tested
Nickel	0.0266	0.0722		ND	Tested
Antimony	0.00805	0.0241		ND	Tested
Selenium	0.0126	0.0963		ND	Tested

Nutrients

Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Copper	0.103	0.489		ND	Tested
Iron	1.67	5.00		ND	Tested
Manganese	0.0155	0.489		0.526	Tested
Zinc	1.67	5.00		<LOQ	Tested

Date Analyzed: 02/09/2026
SOP 502; ICPMS.

ISO/IEC 17025:2017 A2LA
CERT# 5913.01 // DEA#
RT0581098 // NJ HEMP#
34_00077

Kristen Goedde
Quality Manager

Tom Barkley
Laboratory Director

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. Action levels reported for contaminants are in accordance with GAC Rule 40-32-5-.02 issued by the State of Georgia. Values reported relate only to the product tested and batched under the batch number identified above. Trichome Analytical makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. All analytical work is performed using validated methods and in accordance with state and/or federal guidelines. This certificate may only be reproduced in full.