KCA Laboratories
1509 Bull Lea Rd, Ste 100
Lexington, KY 40511

+1-833-KCA-LABS
https://kcalabs.com
KDA Lic.# P_0058

Certificate of Analysis

Highlandia 50mg Tandilime Grove

Sample ID: SA-260320-78602
Batch: 2051
Type: Finished Product - Ingestible
Matrix: Oil / Liquid - Beverage
Unit Size (g):
Unit Volume (mL): 355, Density (g/mL): 1.010646465

Collected: 03/20/2026
Received: 03/23/2026
Completed: 03/27/2026

Client
Urb
5511 95th Ave
Kenosha, WI 53144
USA
Lic. #: C2025-02503

Summary

Test	Date Tested	Status
Cannabinoids	03/27/2026	Tested

0.150 mg/mL	0.150 mg/mL	0.159 mg/mL	Not Tested	Not Tested	Yes
Total Δ9-THC	Δ9-THC	Total Cannabinoids	Moisture Content	Foreign Matter	Internal Standard Normalization

Cannabinoids by HPLC-PDA

Analyte	LOD (mg/mL)	LOQ (mg/mL)	Result (mg/mL)	Result (mg/unit)
CBC	0.00095	0.00284	ND	ND
CBCA	0.00181	0.00543	ND	ND
CBCV	0.0006	0.0018	ND	ND
CBD	0.00081	0.00242	0.0073	2.59
CBDA	0.00043	0.0013	ND	ND
CBDV	0.00061	0.00182	ND	ND
CBDVA	0.00021	0.00063	ND	ND
CBG	0.00057	0.00172	0.0023	0.817
CBGA	0.00049	0.00147	ND	ND
CBL	0.00112	0.00335	ND	ND
CBLA	0.00124	0.00371	ND	ND
CBN	0.00056	0.00169	<LOQ	<LOQ
CBNA	0.0006	0.00181	ND	ND
CBT	0.0018	0.0054	ND	ND
Δ4,8-iso-THC	0.0067	0.02	NT	NT
Δ8-iso-THC	0.0067	0.02	NT	NT
Δ8-THC	0.00104	0.00312	ND	ND
Δ8-THCV	0.0067	0.02	NT	NT
Δ9-THC	0.00076	0.00227	0.1498	53.2
Δ9-THCA	0.00084	0.00251	ND	ND
Δ9-THCV	0.00069	0.00206	<LOQ	<LOQ
Δ9-THCVA	0.00062	0.00186	ND	ND
exo-THC	0.0067	0.02	NT	NT
Total Δ9-THC			**0.150**	**53.2**
Total			**0.159**	**56.6**

ND = Not Detected; NT = Not Tested; UA = Unsuitable for Analysis; NR = (Spike) Not Recoverable, sample matrix interference present which may affect accuracy of results; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA * 0.877 + Δ9-THC; Total CBD = CBDA * 0.877 + CBD;

Generated By: Scott Caudill
Laboratory Manager
Date: 04/06/2026

Tested By: Nicholas Howard
Scientist
Date: 03/27/2026

ISO/IEC 17025:2017 Accredited
Accreditation #108651

This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 17025:2017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.