Encore Labs
120 W Bellevue Dr.
Pasadena, CA 91105

(626) 696-3086
https://encorelabs.com
Lic# C8-0000179-LIC



# 4:25 Beverage

METRC Batch:
METRC Sample:
**Sample ID: 2505ENC5269_6403**
Strain: 4:25 Beverage
Matrix: Ingestible
Type: Beverage
Batch#: DENTON 27

Collected: 06/12/2025
Received: 06/12/2025
Completed: 06/17/2025
Sample Size: 1 units;

Distributor
**CIP HOLD CO.**

Lic. #
Marina Del Rey,
Marina Del Rey, CA, 90292

## Summary

| Test | Date Tested | Instr. Method | Result |
|---|---|---|---|
| Batch | | | Pass |
| Cannabinoids | 06/13/2025 | LC-DAD | Complete |
| Pesticides | 06/13/2025 | LC-MS | Pass |
| Mycotoxins | 06/13/2025 | LC-MS | Pass |
| Residual Solvents | 06/13/2025 | HS-GC-MS | Pass |
| Microbial Impurities | 06/16/2025 | qPCR | Pass |
| Heavy Metals | 06/16/2025 | ICP-MS | Pass |
| Foreign Matter | 06/13/2025 | Visual Inspection | Pass |

## Cannabinoids

Method: SOP CA_M-CANNABINOIDS

| 5.40 mg/unit | 28.48 mg/unit | 33.88 mg/unit |
|---|---|---|
| Total THC | Total CBD | Total Cannabinoids |

| Analytes | LOD | LOQ | Result | Result | Result |
|---|---|---|---|---|---|
| | mg/g | mg/g | % | mg/g | mg/unit |
| THCa | 0.001 | 0.002 | ND | ND | ND |
| Δ9-THC | 0.001 | 0.002 | 0.002 | 0.02 | 5.40 |
| Δ8-THC | 0.001 | 0.002 | ND | ND | ND |
| THCVa | 0.001 | 0.002 | ND | ND | ND |
| THCV | 0.001 | 0.002 | ND | ND | ND |
| CBDa | 0.001 | 0.002 | ND | ND | ND |
| CBD | 0.001 | 0.002 | 0.008 | 0.08 | 28.48 |
| CBN | 0.001 | 0.002 | ND | ND | ND |
| CBGa | 0.001 | 0.002 | ND | ND | ND |
| CBG | 0.001 | 0.002 | ND | ND | ND |
| CBCa | 0.001 | 0.002 | ND | ND | ND |
| CBC | 0.001 | 0.002 | ND | ND | ND |
| **Total THC** | | | **0.002** | **0.02** | **5.40** |
| **Total CBD** | | | **0.008** | **0.08** | **28.48** |
| **Total Cannabinoids** | | | **0.010** | **0.10** | **33.88** |
| **Sum of Cannabinoids** | | | **0.010** | **0.10** | **33.88** |

1 Unit = 355g;
Total THC = THCa * 0.877 + Δ9-THC + Δ8-THC; Total CBD = CBDa * 0.877 + CBD; Total Cannabinoids = (cannabinoid acid forms * 0.877) + cannabinoids; Sum of Cannabinoids = cannabinoid acid forms + cannabinoids; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected. The reported result is based on a sample weight with the applicable moisture content for that sample. Foreign Material Method: SOP CA_M-FOREIGN; Moisture and Water Activity Method: SOP CA_M-WATER

Kevin Nolan
Laboratory Director | 06/17/2025

ISO/IEC 17025:2017 Accredited
Accreditation # 101411

This report is not a California regulatory compliance certificate, it is for R&D/Quality Assurance purposes only. Values reported relate only to the product tested. Sample was tested as received from client. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.

# 4:25 Beverage

METRC Batch:
METRC Sample:
**Sample ID: 2505ENC5269_6403**
Strain: 4:25 Beverage
Matrix: Ingestible
Type: Beverage
Batch#: DENTON 27

Collected: 06/12/2025
Received: 06/12/2025
Completed: 06/17/2025
Sample Size: 1 units;

Distributor
**CIP HOLD CO.**

Lic. #
Marina Del Rey,
Marina Del Rey, CA, 90292

## Pesticides

Method: SOP CA_M-PESTMYCOLCMS

| Analytes | LOD | LOQ | Limit | Result | Status | Analytes | LOD | LOQ | Limit | Result | Status |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | µg/g | µg/g | µg/g | µg/g | | | µg/g | µg/g | µg/g | µg/g | |
| Abamectin | 0.019 | 0.056 | 0.3 | ND | Pass | Fludioxonil | 0.011 | 0.034 | 30 | ND | Pass |
| Acephate | 0.006 | 0.02 | 5 | ND | Pass | Hexythiazox | 0.008 | 0.025 | 2 | ND | Pass |
| Acequinocyl | 0.0089 | 0.0268 | 4 | ND | Pass | Imazalil | 0.021 | 0.064 | 0.021 | ND | Pass |
| Acetamiprid | 0.006 | 0.018 | 5 | ND | Pass | Imidacloprid | 0.009 | 0.026 | 3 | ND | Pass |
| Aldicarb | 0.031 | 0.095 | 0.031 | ND | Pass | Kresoxim Methyl | 0.015 | 0.044 | 1 | ND | Pass |
| Azoxystrobin | 0.006 | 0.017 | 40 | ND | Pass | Malathion | 0.008 | 0.023 | 5 | ND | Pass |
| Bifenazate | 0.01 | 0.03 | 5 | ND | Pass | Metalaxyl | 0.007 | 0.021 | 15 | ND | Pass |
| Bifenthrin | 0.049 | 0.15 | 0.5 | ND | Pass | Methiocarb | 0.015 | 0.044 | 0.015 | ND | Pass |
| Boscalid | 0.01 | 0.031 | 10 | ND | Pass | Methomyl | 0.017 | 0.051 | 0.1 | ND | Pass |
| Captan | 0.05 | 0.1516 | 5 | ND | Pass | Parathion Methyl | 0.0157 | 0.0477 | 0.0157 | ND | Pass |
| Carbaryl | 0.022 | 0.065 | 0.5 | ND | Pass | Mevinphos | 0.024 | 0.072 | 0.024 | ND | Pass |
| Carbofuran | 0.017 | 0.051 | 0.017 | ND | Pass | Myclobutanil | 0.011 | 0.033 | 9 | ND | Pass |
| Chlorantraniliprole | 0.011 | 0.034 | 40 | ND | Pass | Naled | 0.026 | 0.078 | 0.5 | ND | Pass |
| Chlordane | 0.0099 | 0.03 | 0.0099 | ND | Pass | Oxamyl | 0.014 | 0.044 | 0.2 | ND | Pass |
| Chlorfenapyr | 0.0316 | 0.0957 | 0.0316 | ND | Pass | Paclobutrazol | 0.033 | 0.099 | 0.033 | ND | Pass |
| Chlorpyrifos | 0.024 | 0.073 | 0.024 | ND | Pass | PCNB | 0.0133 | 0.0403 | 0.2 | ND | Pass |
| Clofentezine | 0.011 | 0.034 | 0.5 | ND | Pass | Permethrin | 0.013 | 0.039 | 20 | ND | Pass |
| Coumaphos | 0.028 | 0.084 | 0.028 | ND | Pass | Phosmet | 0.006 | 0.018 | 0.2 | ND | Pass |
| Cyfluthrin | 0.0243 | 0.0736 | 1 | ND | Pass | Piperonyl Butoxide | 0.008 | 0.025 | 8 | ND | Pass |
| Cypermethrin | 0.0409 | 0.124 | 1 | ND | Pass | Prallethrin | 0.01 | 0.03 | 0.4 | ND | Pass |
| Daminozide | 0.023 | 0.069 | 0.023 | ND | Pass | Propiconazole | 0.009 | 0.028 | 20 | ND | Pass |
| Diazinon | 0.008 | 0.024 | 0.2 | ND | Pass | Propoxur | 0.02 | 0.061 | 0.02 | ND | Pass |
| Dichlorvos | 0.017 | 0.051 | 0.017 | ND | Pass | Pyrethrins | 0.02 | 0.059 | 1 | ND | Pass |
| Dimethoate | 0.02 | 0.059 | 0.02 | ND | Pass | Pyridaben | 0.01 | 0.03 | 3 | ND | Pass |
| Dimethomorph | 0.01 | 0.03 | 20 | ND | Pass | Spinetoram | 0.012 | 0.037 | 3 | ND | Pass |
| Ethoprophos | 0.016 | 0.048 | 0.016 | ND | Pass | Spinosad | 0.01 | 0.032 | 3 | ND | Pass |
| Etofenprox | 0.027 | 0.082 | 0.027 | ND | Pass | Spiromesifen | 0.011 | 0.033 | 12 | ND | Pass |
| Etoxazole | 0.006 | 0.017 | 1.5 | ND | Pass | Spirotetramat | 0.018 | 0.054 | 13 | ND | Pass |
| Fenhexamid | 0.013 | 0.04 | 10 | ND | Pass | Spiroxamine | 0.01 | 0.03 | 0.01 | ND | Pass |
| Fenoxycarb | 0.012 | 0.037 | 0.012 | ND | Pass | Tebuconazole | 0.014 | 0.042 | 2 | ND | Pass |
| Fenpyroximate | 0.003 | 0.01 | 2 | ND | Pass | Thiacloprid | 0.01 | 0.031 | 0.01 | ND | Pass |
| Fipronil | 0.021 | 0.063 | 0.021 | ND | Pass | Thiamethoxam | 0.013 | 0.039 | 4.5 | ND | Pass |
| Flonicamid | 0.017 | 0.051 | 2 | ND | Pass | Trifloxystrobin | 0.004 | 0.011 | 30 | ND | Pass |

Date Tested: 06/13/2025
LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Kevin Nolan
Laboratory Director | 06/17/2025

ISO/IEC 17025:2017 Accredited
Accreditation # 101411

This report is not a California regulatory compliance certificate, it is for R&D/Quality Assurance purposes only. Values reported relate only to the product tested. Sample was tested as received from client. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.

# 4:25 Beverage

METRC Batch:
METRC Sample:
**Sample ID: 2505ENC5269_6403**
Strain: 4:25 Beverage
Matrix: Ingestible
Type: Beverage
Batch#: DENTON 27

Collected: 06/12/2025
Received: 06/12/2025
Completed: 06/17/2025
Sample Size: 1 units;

Distributor
**CIP HOLD CO.**

Lic. #
Marina Del Rey,
Marina Del Rey, CA, 90292

## Mycotoxins

Method: SOP CA_M-PESTMYCOLCMS

| Analytes | LOD | LOQ | Limit | Result | Status |
|---|---|---|---|---|---|
| | µg/kg | µg/kg | µg/kg | µg/kg | |
| Aflatoxin B1 | 1.60 | 4.84 | | ND | Tested |
| Aflatoxin B2 | 2.17 | 6.57 | | ND | Tested |
| Aflatoxin G1 | 1.35 | 4.09 | | ND | Tested |
| Aflatoxin G2 | 1.33 | 4.04 | | ND | Tested |
| Ochratoxin A | 2.70 | 8.10 | 20.00 | ND | Pass |
| Total Aflatoxins | | | 20.00 | ND | Pass |

Date Tested: 06/13/2025
LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

## Residual Solvents

Method: SOP CA_M-RES_SOLVENTS

| Analytes | LOD | LOQ | Limit | Result | Status |
|---|---|---|---|---|---|
| | µg/g | µg/g | µg/g | µg/g | |
| Acetone | 3.37 | 10.20 | 5000 | ND | Pass |
| Acetonitrile | 1.80 | 5.45 | 410 | ND | Pass |
| Benzene | 0.11 | 0.33 | 1 | ND | Pass |
| Butane | 2.31 | 7.01 | 5000 | ND | Pass |
| Chloroform | 0.21 | 0.65 | 1 | ND | Pass |
| Ethanol | 2.82 | 8.54 | 5000 | 183.03 | Pass |
| Ethyl acetate | 2.10 | 6.36 | 5000 | ND | Pass |
| Ethyl ether | 1.93 | 5.86 | 5000 | ND | Pass |
| Ethylene Oxide | 0.31 | 0.94 | 1 | ND | Pass |
| Heptane | 2.18 | 6.61 | 5000 | ND | Pass |
| Hexane | 2.22 | 6.74 | 290 | ND | Pass |
| Isopropyl alcohol | 2.19 | 6.64 | 5000 | ND | Pass |
| Methanol | 2.28 | 6.90 | 3000 | ND | Pass |
| Methylene chloride | 0.10 | 0.31 | 1 | ND | Pass |
| 1,2-Dichloroethane | 0.10 | 0.30 | 1 | ND | Pass |
| Pentane | 2.39 | 7.25 | 5000 | ND | Pass |
| Propane | 2.33 | 7.05 | 5000 | ND | Pass |
| Toluene | 0.59 | 1.79 | 890 | ND | Pass |
| Total xylenes (ortho-, meta-, para-) | 13.51 | 40.94 | 2170 | ND | Pass |
| Trichloroethylene | 0.18 | 0.54 | 1 | ND | Pass |

Date Tested: 06/13/2025
LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

## Microbial Impurities

Method: SOP CA_M-MICROBIALS

| Analytes | Result | Status |
|---|---|---|
| Shiga toxin–producing Escherichia coli | Not Detected in 1g | Pass |
| Salmonella spp | Not Detected in 1g | Pass |

Date Tested: 06/16/2025

Kevin Nolan
Laboratory Director | 06/17/2025

ISO/IEC 17025:2017 Accredited
Accreditation # 101411

This report is not a California regulatory compliance certificate, it is for R&D/Quality Assurance purposes only. Values reported relate only to the product tested. Sample was tested as received from client. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.

# 4:25 Beverage

METRC Batch:
METRC Sample:
**Sample ID: 2505ENC5269_6403**
Strain: 4:25 Beverage
Matrix: Ingestible
Type: Beverage
Batch#: DENTON 27

Collected: 06/12/2025
Received: 06/12/2025
Completed: 06/17/2025
Sample Size: 1 units;

Distributor
**CIP HOLD CO.**

Lic. #
Marina Del Rey,
Marina Del Rey, CA, 90292

## Heavy Metals

Method: SOP CA_M-HEAVYMETALS

| Analytes | LOD | LOQ | Limit | Result | Status |
|---|---|---|---|---|---|
| | µg/g | µg/g | µg/g | µg/g | |
| Arsenic | 0.033 | 0.099 | 1.500 | ND | Pass |
| Cadmium | 0.028 | 0.085 | 0.500 | ND | Pass |
| Lead | 0.049 | 0.147 | 0.500 | ND | Pass |
| Mercury | 0.015 | 0.045 | 3.000 | ND | Pass |

Date Tested: 06/16/2025
LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Kevin Nolan
Laboratory Director | 06/17/2025

ISO/IEC 17025:2017 Accredited
Accreditation # 101411

This report is not a California regulatory compliance certificate, it is for R&D/Quality Assurance purposes only. Values reported relate only to the product tested. Sample was tested as received from client. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.